Approved by the Board of SwissDRG AG on 20 June 2025 With costs of system use (CSU)

# Flat rate per case catalogue

# **SwissDRG Version 15.0**

Billing version (2026/2026) As of: 20.06.2025

### Abbreviations:

CC Complications or Comorbidities
MDC Major Diagnostic Category
OR Surgical (Operating Room)
Partition 'O' Surgical flat rates per case

Partition 'A' Other flat rates per case, e.g. colonoscopy

Partition 'M' Medical flat rates per case

#### Footnotes:

- [1] Inpatient days on which calculation of the flat rate per case is based.
- [2] First inpatient day on which a deduction from the flat rate per case needs to be made.
- [3] First inpatient day on which a daily fee in addition to the flat rate per case is paid.
- [4] There is no bundling of cases in the event of readmission to the same hospital.
- [5] If the DRG definition does not allow any minimum length of stay and/or maximum length of stay, the catalogue will not show any values accordingly.
- [6] The age details in the DRG designations refer to completed years (e.g. age = 5 years and 3 months = 5 years).
- [7] The term early rehabilitation is used within the meaning of the CHOP classification, i.e. the performance of medical and rehabilitation measures during the same stay (see the minimum characteristics for coding defined in CHOP).
- [8] As regards the scores for complex intensive care treatment as specified in the DRG designation, the first figure relates to the points for the complex intensive care treatment for children and the second figure relates to the points for complex intensive care treatment for adults.
- [9] The DRGs P60A, 960Z and 961Z are not billable.



## Flat rate per case catalogue

### Part a) Acute care hospitals

					Minimum le	ngth of stay	Maximum	length of stay			
DRG <sup>9)</sup>	Partiti on	Designation <sup>e) ?) e)</sup>	Cost weight with costs of system use (CSU)	Mean length of stay 1)	First day with reduction <sup>2) s)</sup>	Cost weight/day	First day with additional fee <sup>3)</sup>	Cost weight/day	External transfer reduction/day (cost weight)	Transfer flat rate per case	Not counted as readmission 4)
1	2	3	4	5	6	7	8	9	10	11	12
Pre-MDC A01Z	0	Transplantation of liver or Langerhans cells	7.779	11.9	2	1.599	24	0.45	1	x	x
A02Z	0	Transplantation of pancreas or intestine	7.074	15.9	4	0.981	31	0.324	0.346	Ŷ	×
A04A	0	Bone marrow transplantation or stem cell transfusion, allogenic, with very severe CC and graft versus host disease or age < 16 years	17.646	44.3	13	1.063	62	0.343		x	x
A04B	0	Bone marrow transplantation or stem cell transfusion, allogenic, age < 18 years or complex intensive care treatment > 360 points or with very severe CC or with highly complex chemotherapy with challenging situation	13.165	37.8	11	0.981	55	0.317		x	x
A04C	0	Bone marrow transplantation or stem cell transfusion, allogenic, age > 17 years	8.978	28.9	8	0.898	39	0.285		x	х
A05Z	0	Heart or lung transplantation or separation of conjoined twins, age > 17 years	10.803	23.6	6	1.001	36	0.3		x	x
A06A	0	Complex intensive care treatment > 9200 points or early neurological rehabilitation from 70 treatment days or implantation of a heart pump, transplantation of liver, lung, heart, stem cell transfusion or separation of conjoined twins, with very severe burns or age < 16 years	67.777	122.9	39	1.518	140	0.6		x	х
A06B	0	Complex intensive care treatment > 5880/5520 points or early neurological rehabilitation from 70 treatment days or implantation of a heart pump, transplantation of liver, lung, heart, stem cell transfusion or separation of conjoined twins	43.984	76.2	24	1.557	94	0.542		x	x
A06C	0	Complex intensive care treatment > 2352/2484 points with very challenging situations or specific complex intensive care treatment with complex treatment in intermediate care unit points or complex intensive care treatment > 4410/4600 points or specific complex treatment in intermediate care unit > 4900/5520 points	32.008	60.7	19	1.333	78	0.483		x	х
A07A	0	Highly complex interventions or complex intensive care treatment > 2940/3080 points or complex treatment in intermediate care unit > 3430/4000 points or early neurological rehabilitation from 7 treatment days or complex intensive care treatment > 2058/2/484 points with complex vacuum treatment or specific complex intensive care treatment with complex treatment in intermediate care unit points	26.306	49.3	15	1.455	67	0.512		x	х
A07B	0	Complex OR procedure or polytrauma or complex intensive care treatment > 2940/3880 points or complex treatment in intermediate care unit > 3430/4600 points or early neurological rehabilitation from 7 treatment days or complex situations, with very severe CC or highly complex vacuum treatment, or very severe CC with complex intensive care treatment > 1764/2484 points or age < 16 years	19.736	39.4	12	1.323	57	0.478		x	x
A07C	0	Complex OR procedure or polytrauma or complex vacuum treatment or complex intensive care treatment > 1470/208 points or complex treatment in intermediate treatment unit > 3430/3680 points or early neurological rehabilitation from 7 treatment days or complex situations or age > 15 years	17.439	36.7	11	1.35	54	0.459		x	х
A11A	0	Complex intensive care treatment > 196/552 points with specific complex situations or highly complex situations or age < 16 years or complex intensive care treatment > 1656 points or complicating procedures with specific situations	15.542	34.7	10	1.235	52	0.417		x	х
A11B	0	Complex intensive care treatment > 196/552 points with specific situations or severe burns or very severe CC, age > 15 years	13.22	29.4	8	1.256	47	0.406		x	х
A11C	0	Complex intensive care treatment > 1470/1656 points with difficult diagnosis or specific procedures or complicating procedures with challenging situations	12.252	26.3	7	1.391	44	0.432		×	x
A11D	0	Complex intensive care medicine > 748/828 points with specific situations	8.284	20.2	5	1.362	32	0.283		x	x
A15A	0	Bone marrow transplantation or stem cell transfusion, autologous with multiple intervention or complex intensive care treatment > 360 points or very severe CC, with moderately to highly complex chemotherapy and challenging situation or specific cell therapy, or age < 18 years	6.445	24.4	7	0.696	39	0.313	0.241		х
A15B	0	Bone marrow transplantation or stem cell transfusion, autologous with multiple intervention or complex intensive care treatment > 360 points or very severe CC or highly complex chemotherapy and challenging situation or age > 17 years	4.794	20.1	5	0.73	31	0.266	0.229		x
A15C	0	Bone marrow transplantation or stem cell transfusion, autologous, age > 17 years	3.647	20.1	5	0.545	27	0.215	0.171		x
A17Z	0	Kidney transplantation	3.709	9.5	2	0.823	19	0.276	0.299		x
A20Z	0	CAR T-cell therapy for DLBCL  Complex intensive care treatment > 980/1104 points for specific	27.354	20	5	0.691	34	0.219	0.216		x
A36A	0	diseases and conditions or complex OR procedure or more than 8 courses of radiation or with very severe CC or specific OR procedure over four sessions	9.175	26	7	0.994	43	0.331		x	x
A36B	0	Complex intensive care treatment > 392/552 points for specific diseases and conditions	6.691	19.6	5	1.015	35	0.322		x	x
A42A	Α	Bone marrow or stem cell collection, autologous, age < 16 years or specific processes	2.487	2.3	1	0.391	4	0.335	0.391		х
A42B	Α	Bone marrow or stem cell collection, autologous, age > 15 years	1.257	2.4	1	0.657	5	0.223	0.657		х
A43A	0	Early rehabilitation for vegetative state and locked-in syndrome with early rehabilitation from 70 treatment days or complex treatment in intermediate care unit > 1764/1932 points	21.819	66.1	21	0.889	84	0.214		x	x
A43B	0	Early rehabilitation from 14 treatment days for vegetative state and locked-in syndrome or highly complex vacuum treatment	11.522	50.1	15	0.481	68	0.213		х	х
A46A	0	Complex paraplegia treatment from 196 treatment days or complex intensive care treatment > 588/828 points or intervention at more than one site or complex care treatment from 226 points or complex paraplegia treatment 140 to 195 treatment days with specific diagnosis	27.793	158.6	51	0.518	176	0.219		x	
A46B	0	Complex paraplegia treatment from 112 to 195 treatment days with complex care treatment from 51 points or specific diagnosis, or complex paraplegia treatment from 28 treatment days with especially challenging situations	16.183	97.9	31	0.486	115	0.184		х	
A46C	0	Complex paraplegia treatment from 112 to 195 treatment days or complex care treatment from 51 points or specific OR procedure, or complex paraplegia treatment up to 55 treatment days with vacuum treatment or complex intensive care treatment > 580/628 points or complex care treatment from 226 treatment days	13.954	89.2	28	0.455	107	0.165		x	
A46D	0	Complex paraplegia treatment from 56 treatment days or complex paraplegia treatment from 28 treatment days with complex intensive care treatment > 980/1104 points or specific complex intensive care treatment with complex treatment in intermediate care unit points, or complex paraplegia treatment up to 55 treatment days with specific situations	9.034	61.3	19	0.432	79	0.153		х	
A46E		Complex paraplegia treatment 28 to 55 treatment days or complicating or complex procedures or vacuum treatment or polyfrauma or complex intensive care treatment > 392/552 points or complex treatment in intermediate care unit > 784/828 points or specific situations	5.491	36.2	11	0.44	54	0.147		×	
A46F A50A	O A	Complex paraplegia treatment Selective intravascular radionuclide therapy	2.991 2.182	18.7 1.9	5	0.489	32 4	0.124 0.198	0.543	Х	x
A50B	A	Specific radioreceptor therapy with DOTA-conjugated somatostatin	1.52	2			4	0.136	0.182		×
A50C	A	analogue Radioreceptor therapy with other PSMA ligands	1.709	3			4	0.116	0.102		x
A50D	Α	Radioreceptor therapy with specific PSMA ligands	1.255	2.9			4	0.107	0.222		х
A50E	Α	Intravascular radiotherapy with radionuclides or radiotherapy with small molecules	1.018	2			4	0.237	0.343		x
-	•			•							

1

					Minimum le	ngth of stay	Maximum	length of stay			
DRG <sup>9)</sup>	Partiti on	Designation <sup>e) 2) e)</sup>	Cost weight with costs of system use (CSU)	Mean length of stay 1)	First day with reduction <sup>2) s)</sup>	Cost weight/day	First day with additional fee 3) s)	Cost weight/day	External transfer reduction/day (cost weight)	Transfer flat rate per case	Not counted as readmission 4)
1	2	3 Failure and rejection of an organ transplant, more than one inpatient	4	5	6	7	8	9	10	11	12
A60A	М	day, with extremely severe CC or complex OR procedure or age < 16 years	2.314	10.2	2	0.699	25	0.225		x	x
A60B	М	Failure and rejection of an organ transplant, age > 15 years, more than one inpatient day	1.012	5.7	1	0.452	13	0.181		х	x
A60C	М	Failure and rejection of an organ transplant, one inpatient day  Complex treatment in intermediate care unit adults > 1104 points or	0.574	1						х	х
A90A	0	complex OR procedure or more than 8 courses of radiation or early rehabilitation from 14 treatment days for specific diseases or with very severe CC or complex vacuum therapy or age < 16 years, with specific OR procedures over more than one session	11.379	36.5	11	0.716	54	0.262		x	x
A90B	0	Complex treatment in intermediate care unit > 1104 points or complex OR procedure or more than 8 courses of radiation or early rehabilitation from 14 treatment days for specific diseases or with yery severe CC or complex vacuum therapy or age < 16 years Complex treatment in intermediate care unit adults > 552 points for	7.51	26.6	7	0.819	44	0.261		х	х
A90C	0	specific diseases, or specific complex intensive care transmit with complex treatment with complex treatment in intermediate care unit points or early rehabilitation from 7 treatment days, age > 15 years  Photopheresis and apheresis without OR procedure, one inpatient	4.955	20.4	5	0.721	36	0.226		х	х
A91Z	М	day Multimodal pain therapy for specific diseases or complex	0.557	1						х	х
A92A	М	rheumatological treatment for specific diseases, from 21 treatment days without OR procedure	2.228	20.7			23	0.108		x	x
A92B	М	Multimodal pain therapy for specific diseases or complex rheumatological treatment for specific diseases, from 14 to 20 treatment days without OR procedure or age < 16 years Multimodal pain therapy for specific diseases or complex	1.544	14.2			17	0.112		х	x
A92C	М	rheumatological treatment for specific diseases, from 7 to 13 treatment days without OR procedure or age > 17 years	0.977	7.9			12	0.087		х	x
A93A	0	Radiotherapy, more than 8 courses of radiation with complex OR procedure or complex intensive care treatment/complex treatment in	6.681	31.3	9	0.585	49	0.22		х	x
A93B	0	intermediate care unit > 184 points or with very severe CC Radiotherapy, more than 19 courses of radiation or extremely severe	4.357	26.7	7	0.53	44	0.164		x	x
A93C	0	CC or challenging situations with malignant neoplasm Radiotherapy, more than 8 courses of radiation	2.717	17.7	4	0.53	32	0.156		x	x
A94A	М	Complex treatment for colonisation or infection with multidrug- resistant pathogens from 21 treatment days and complex intensive care treatment/complex treatment in intermediate care unit > 130/184 points	6.694	31	9	0.657	48	0.216	0.218		
A94B	М	Complex treatment for colonisation or infection with multidrug- resistant pathogens from 21 treatment days, or from 14 treatment days and specific diagnosis or complex intensive care treatment/complex treatment in intermediate care unit > 130/119 points or specific intervention	4.145	25.5	7	0.501	40	0.167	0.166		
A94C	М	Complex treatment for colonisation or infection with multidrug- resistant pathogens from 14 treatment days or age < 16 years or complex intensive care treatment/complex treatment in intermediate care unit > 196/119 points or specific diagnoses or with very severe CC	2.515	16	4	0.481	29	0.157	0.159		
A94D	М	Complex treatment for colonisation or infection with multidrug- resistant pathogens from 7 treatment days without OR procedure, age > 15 years  Geriatric acute rehabilitation from 7 treatment days with complex OR	1.311	10.6	2	0.411	20	0.122	0.133		
A95A	М	procedures over more than one session or complicating procedure or very severe CC or geniatric acute rehabilitation from 14 treatment days and complex intensive care treatment/complex treatment in intermediate care unit > 184 points	5.822	26.9	7	0.615	44	0.188	0.196		
A95B	М	Geriatric acute rehabilitation from 7 treatment days with complex procedure or complex intensive care treatment/complex treatment in intermediate care unit > 360 points or complex vacuum treatment or specific interventions or intervention at more than one site	3.867	19.2	5	0.428	34	0.17	0.141		
A95C	М	Geriatric acute rehabilitation from 21 treatment days or very severe CC or vacuum treatment or specific OR procedure or complex intensive care treatment adults > 184 points Geriatric acute rehabilitation from 14 treatment days with extremely	2.967	20.8	5	0.408	32	0.121	0.128		
A95D	М	severe CC or complex neurological treatment of acute stroke or specific intervention or complex intensive care treatment/complex treatment in intermediate care unit adults > 119/184 points	2.238	17.1	4	0.434	26	0.114	0.134		
A95E	М	Geriatric acute rehabilitation from 14 treatment days or extremely severe CC, geriatric acute rehabilitation from 7 treatment days with specific OR procedure or vacuum treatment Geriatric acute rehabilitation from 7 treatment days with severe	1.821	15.6	4	0.337	23	0.11	0.119		
A95F A95G	M	motor function impairments or difficult diagnosis or specific procedure Geriatric acute rehabilitation from 7 treatment days	1.236	9.4	2	0.394	16 14	0.122	0.128 0.119		
A96A	М	Complex complementary medical treatment for specific diseases, without OR procedure, from 26 therapy units	1.556	12.8	3	0.37	20	0.084	0.132		
A96B	М	Complex complementary medical treatment for specific diseases, without OR procedure, from 10 therapy units  Complex palliative medical treatment from 7 treatment days with	0.936	6.9	1	0.439	12	0.091	0.164		
A97A	А	multiple interventions, or specific complex intensive care treatment with complex treatment in intermediate care unit points, or complex OR procedure with complex palliative medical treatment from 21 treatment days or with complex situations, or complex palliative medical treatment from 28 treatment days and age < 16 years or specific procedures	8.015	36.6	11	0.597	54	0.201		x	x
A97B	Α	Complex palliative medical treatment from 7 treatment days with complex procedure or complicating procedure, or complex palliative medical treatment from 21 treatment days with surgical intervention or age < 16 years, or complex intensive care treatment/complex treatment in intermediate care unit > 196/184 points	5.053	28.7	8	0.521	46	0.174		х	х
A97C	Α	Complex palliative medical treatment from 7 treatment days with complex neurological treatment from 24 hours or specific diagnosis or complex palliative medical treatment from 21 treatment days or complex palliative medical treatment from 14 treatment days and age < 16 verse.	3.336	25	7	0.404	39	0.134		x	х
A97D	А	Complex palliative medical treatment from 14 treatment days or cerebral palsy or specific intervention or complex palliative medical treatment from 7 treatment days and age < 16 years, specific OR procedure or severe motor function impairment or paraplegia/hetraplegia or extremely severe CC	2.046	15	4	0.397	26	0.137		x	x
A97E MDC 01: Dis	A	Complex palliative medical treatment from 7 treatment days and disorders of the nervous system	1.302	10.5	2	0.421	18	0.127		х	x
		Complex OR procedures over more than one session or extracranial									
B01A	0	and intracranial interventions for diseases and disorders of the nervous system, with complex intensive care treatment adults > 184 points or age < 16 years Complex OR procedures over more than one session or epilepsy	6.496	17	4	0.929	33	0.284		x	
B01B	0	complex On procedures over more intain one session or epilepsy surgery with invasive preoperative video EEG, age > 15 years  Complex craniotomy or spinal column surgery, age < 6 years or < 18	4.091	11.9	2	0.885	24	0.248		х	
B02A	0	years with major intracranial intervention, with extremely severe CC, or complex intensive care treatment/complex treatment in intermediate care unit > 130/119 points or challenging situations with malignant neoplasm	4.923	14.1	3	0.98	27	0.292		x	
B02B	0	Complex craniotomy or spinal column surgery	2.986	10.3	2	0.742	22	0.233		х	
B03A	0	Surgical interventions for cerebral disease or muscular dystrophy, or interventions on the spinal column and spinal cord, and complex intensive care treatment/complex treatment in intermediate care unit adults > 119 points or age < 16 years or intraoperative monitoring	2.424	7	1	0.631	16	0.22	0.198		
B03B	0	Surgical interventions for cerebral disease or muscular dystrophy, or interventions on the spinal column and spinal cord, and complicating procedure, age > 15 years	1.753	6.2	1	0.498	13	0.18	0.187		
B03C	0	Surgical interventions for cerebral disease or muscular dystrophy, or interventions on the spinal column and spinal cord, age > 15 years	1.27	5.1	1	0.383	11	0.173	0.179		
<u> </u>									1		

					Minimum le	ngth of stay	Maximum	length of stay			
DRG <sup>9)</sup>	Partiti on	Designation <sup>e) 27 e)</sup>	Cost weight with costs of system use (CSU)	Mean length of stay 1)	First day with reduction <sup>2) s)</sup>	Cost weight/day	First day with additional fee <sup>3)</sup>	Cost weight/day	External transfer reduction/day (cost weight)	Transfer flat rate per case	Not counted as readmission 4)
1	2	3 Interventions on the extracranial vessels or ASD closure or	4	5	6	7	8	9	10	11	12
B04A	0	pacemaker with extremely severe CC Interventions on the extracranial vessels, ASD closure or pacemaker	4.137	14.8	3	0.803	28	0.23		Х	
B04B	0	with severe CC or for cerebral infarction Interventions on the extracranial vessels or ASD closure or	2.007	7.3	1	0.619	16	0.187		Х	
B04C	0	pacemaker	1.296	3.9	1	0.359	7	0.136	0.359		
B05Z B09A	0	Decompression for carpal or tarsal tunnel syndrome Other interventions on the cranium with complex intensive care treatment/complex treatment in intermediate care unit adults > 119 points or complex intensive care treatment/complex treatment in intermediate care unit newborns/children > 65/130 points or complex care treatment from 31 points	2.87	2.3	2	0.119 0.665	22	0.099 0.225	0.119	х	
B09B	0	Other interventions on the cranium with specific intervention or complex treatment in intermediate care unit newborns/children > 65 points	2.11	5	1	0.5	9	0.146		x	
B09C	0	Other interventions on the cranium for malignant neoplasms of the nervous system or congenital malformations or specific procedure or severe CC	1.713	6.1	1	0.509	14	0.185		x	
B09D B16Z	0	Other interventions on the cranium  Radiotherapy for diseases and disorders of the nervous system,	1.178	4.2 10.3	2	0.517 0.531	9 23	0.164 0.165	0.172	Х	x
B17A	0	more than one inpatient day Interventions on peripheral nerves and cranial nerves with complex	1.328	3.4	1	0.222	7	0.319	0.222		^
B17B	0	intervention or with specific diagnosis Interventions on peripheral nerves and cranial nerves	0.677	2.5	1	0.242	5	0.193	0.242		
B20A		Specific or complex intracranial interventions or major spinal column surgery with complex intensive care treatment/complex treatment in intermediate care unit > 196/184 points or complex intensive care treatment > 130/119 points with specific situation	4.374	12.6	3	0.791	23	0.259		х	
B20B	0	Specific or complex intracranial interventions or major spinal column surgery with complex procedure or complex diagnosis or complex intensive care treatment > 130/119 points, with intraoperative monitoring or specific intervention or age < 16 years Specific or complex intracranial interventions or major spinal column	3.118	7	1	0.831	13	0.288		х	
B20C	0	surgery with complex procedure or complex intensive care treatment > 119 points or severe CC, age > 15 years	2.112	5.6	1	0.44	11	0.241		x	
B20D	0	Specific or complex intracranial interventions or major spinal column surgery	1.553	4.6	1	0.43	10	0.211		х	
B21A	0	Implantation of a neurostimulator with electrodes for brain stimulation with multi-electrode system, rechargeable	7.402	8.4	1	0.697	12	0.172	0.189		
B21B	U	Implantation of a neurostimulator with electrodes for brain stimulation or medicine pump or complex treatment for extrapyramidal motor diseases from 14 treatment days or specific OR procedures over more than one session	6.259	9.9	2	0.517	19	0.161	0.188		
B21C	0	Implantation of a neurostimulator with multi-electrode system, rechargeable	4.174	2.5	1	0.257	5	0.21	0.257		
B21D	0	Implantation of a neurostimulator with multi-electrode system or specific intervention	3.071	2.3	1	0.207	4	0.187	0.207		
B21E	0	Implantation of a neurostimulator with single electrode system or implantation of intracranial electrodes	2.148	2.4	1	0.642	4	0.169	0.642		
B21F B21G	0	Implantation of electrodes of a permanent epidural neurostimulator Implantation of other electrodes	1.589	2.4	1	0.205 0.31	4	0.179 0.171	0.205 0.31		
B22Z	0	Implantation of a medicine pump	2.871	4.6	1	0.366	12	0.276	0.229		
B36A	0	Diseases and disorders of the nervous system with complex intensive care treatment > 1176/1380 points	11.971	27.4	8	1.297	45	0.442		х	x
B36B	0	Diseases and disorders of the nervous system with complex intensive care treatment > 392/552 points with complex OR procedure or complex intensive care treatment > 588/1104 points or complex OR procedure over four sessions or specific complex intensive care treatment with complex treatment in intermediate care unit points	8.771	19.9	5	1.291	35	0.42		х	х
B36C	0	Diseases and disorders of the nervous system with complex intensive care treatment > 196/360 points	5.981	16	4	1.126	32	0.381		х	х
B36D	0	Diseases and disorders of the nervous system with complex intensive care treatment adults > 360 points	3.534	10	2	1.11	23	0.368		х	х
B39A	0	Complex neurological treatment for acute stroke lasting more than 72 hours with surgical intervention and extremely severe CC	3.922	12.5	3	0.819	25	0.288		х	
B39B	0	Complex neurological treatment for acute stroke with surgical intervention	2.605	8	1	0.91	16	0.222		х	
B60A	М	Paraplegia/tetraplegia with medical procedure and more than one inpatient day	1.172	8.1	1	0.516	17	0.141		х	
B60B B61A	0	Paraplegia/tetraplegia  Paraplegia/tetraplegia or injuries of the spinal cord with complex OR procedure over more than one session or complex intensive care treatment > 392/55 points or very severe CC or specific complex intensive care treatment with complex treatment in intermediate care unit points or specific paraplegia with challenging intervention or intervention on the spine	6.35	6.3	5	0.505	15 35	0.136		x	
B61B	0	Paraplegia/fletraplegia or injuries of the spinal cord with specific OR procedure over four sessions or complex situation or complex intensive care treatment/complex treatment in intermediate care unit > 196/119 points or very severe CC, with spinal fusion or vertebral body replacement	5.007	15.4	4	0.615	31	0.213		x	
B61C	0	Paraplegia/tetraplegia or injuries of the spinal cord with specific OR procedure over four sessions or complex situation or complex intensive care treatment/complex treatment in intermediate care unit > 196/119 points or very severe CC, or complex OR procedure or vacuum treatment or specific OR procedure or wrote than one session or complex care treatment from 51 points, with spinal fusion or vertebral body replacement or with hip or knee prosthesis in specific situation	4.039	15.7	4	0.568	30	0.19		х	
B61D		Paraplegia/tetraplegia or injuries of the spinal cord with complex OR procedure or vacuum treatment or specific OR procedure over more than one session or complex care treatment from 51 points or intervention at more than one site	2.472	9.6	2	0.493	21	0.176		x	
B61E	0	Paraplegia/tetraplegia or injuries of the spinal cord with specific or complicating procedure  Dementia and other chronic disorders affecting brain function with	1.421	6.3	1	0.795	15	0.167		х	
B63A	М	Dementia and other chronic disorders affecting brain function with extremely severe CC or complex neurological diagnostics	1.473	9.5	2	0.471	19	0.158		x	
B63B B64A	M	Dementia and other chronic disorders affecting brain function  Delirium with severe CC	0.843 1.342	6.7 10.3	1 2	0.39 0.417	15 22	0.123 0.132	0.146	x	
B64B	М	Delirium	0.841	6.2	1	0.384	14	0.109		x	
B66A	М	Neoplasms of the nervous system or stupor and coma of non- traumatic origin with extremely severe CC or specific procedure or challenging situations due to malignant neoplasm, or age < 16 years with paraplegia/tetraplegia more than one inpatient day	1.647	10.7	2	0.523	24	0.16	0.169		х
B66B	М	Neoplasms of the nervous system or stupor and coma of non- traumatic origin, age < 16 years	0.804	3.3	1	0.381	7	0.246	0.381		х
B66C	М	Neoplasms of the nervous system or stupor and coma of non- traumatic origin, age > 15 years  Parkinson's disease with severe impairment or initial setup of	0.818	5.8	1	0.378	13	0.123	0.176		х
B67A B67B	M M	Parknison's disease with severe impairment or initial setup or levodopa infusion pump. Parkinson's disease with extremely severe CC or specific diagnoses or adjustment of neurological stimulation parameters due to moderate-to-severe impairment or complex treatment for	1.726	12.2 9.6	2	0.416	25 17	0.144	0.136	х	
		extrapyramidal motor diseases from 7 treatment days or initial setup with apomorphine infusion pump									
B67C	М	Parkinson's disease  Multiple sclerosis and cerebellar ataxia with complex diagnosis or	0.844	6.8	1	0.399	15	0.124	0.15		
B68A	М	extremely severe CC or complex neurological diagnostics or specific procedure over more than one session or paraplegia/tetraplegia	1.063	7.4	1	0.498	16	0.142	0.157		
B68B	М	Multiple sclerosis and cerebellar ataxia	0.758	5.5	1	0.348	12	0.13	0.162		

					Minimum le	noth of stav	Maximum	length of stay			
DRG <sup>9)</sup>	Partiti on	Designation <sup>6) 77 83</sup>	Cost weight with costs of system use (CSU)	Mean length of stay 1)	First day with reduction <sup>2) 5)</sup>	Cost weight/day	First day with additional fee 3)	Cost weight/day	External transfer reduction/day (cost weight)	Transfer flat rate per case	Not counted as readmission 4)
1	2	3	4	5	6	7	8	9	10	11	12
B69A	М	Transient ischaemic attack (TIA) and extracranial vascular occlusions with complex neurological treatment for acute stroke > 72 hours or complex neurological treatment with extremely severe CC	1.09	5.4	1	0.5	11	0.199	0.234		
B69B	М	Transient ischaemic attack (TIA) and extracranial vascular occlusions with other complex neurological treatment for acute stroke or complex neurological diagnostics or extremely severe CC	0.774	3.2	1	0.28	7	0.158	0.28		
B69C	М	Transient ischaemic attack (TIA) and extracranial vascular occlusions	0.527	3	1	0.23	6	0.114	0.23		
B70A	М	Apoplexy with complex neurological treatment for acute stroke > 72 hours, with complicating diagnosis or severe motor function disorder or extremely severe CC or paraplegia/tetraplegia, more than one inpatient day	1.722	8.5	1	0.814	17	0.214		x	
B70B	М	Apoplexy with complex neurological treatment for acute stroke > 72 hours or complex neurological diagnostics or age < 16 years, or with complicating diagnosis or thrombolysis or severe motor function disorder or with other neurological complex treatment > 72 hours or extremely severe CC, more than one inpatient day	1.353	7	1	0.639	15	0.201		х	
B70C	М	Apoplexy with complex neurological treatment for acute stroke < 73 hours, age > 15 years, or with other complex neurological treatment < 73 hours or complex neurological diagnostics, more than one inpatient day	1.088	5.6	1	0.508	12	0.195	0.237		
B70D	М	Apoplexy with other complex neurological treatment for acute stroke < 73 hours, or with complicating diagnosis or thrombolysis or severe motor function disorder or contact isolation from 7 treatment days, age > 15 years, more than one inpatient day	1.097	7.3	1	0.511	15	0.15	0.161		
B70E	М	Apoplexy with age > 15 years, more than one inpatient day  Apoplexy, more than one inpatient day, dead < 5 days after	0.827	5.9	1	0.381	13	0.139	0.178		
B70F	М	admission, with complex neurological treatment for acute stroke or other complex neurological treatment	1.044	3.2						х	
B70G	М	Apoplexy, more than one inpatient day, dead < 5 days after admission	0.595	2.9						х	
B70H	М	Apoplexy with complex neurological treatment for acute stroke > 23 hours to < 48 hours or thrombolysis or complex intensive care	0.587	1						x	
B701	М	treatment > 65/59 points, one inpatient day  Apoplexy with complex neurological treatment for acute stroke < 24 hours, one inpatient day	0.356	1						x	
B71A	М	Diseases of cranial nerves and peripheral nerves with complex diagnosis and more than one inpatient day, with severe CC or with chronic paraplegia/tetraplegia or complex neurological diagnostics or complicating procedures or age < 16 years, or severe CC with more than one inpatient day and chronic paraplegia/tetraplegia	2.031	11	2	0.647	22	0.177	0.189		
B71B	М	Diseases of cranial nerves and peripheral nerves with complex diagnosis and more than one inpatient day or complex treatment on the hand from 7 treatment days or age > 15 years, or severe CC and more than one inpatient day, or paraplegia/tetraplegia	1.099	7.3	1	0.523	16	0.153	0.164		
B71C	М	Diseases of cranial nerves and peripheral nerves Infection of the nervous system except for viral meningitis, age < 16	0.658	5	1	0.296	12	0.129	0.138		
B72A	М	years or complex neurological diagnostics or severe CC or other immunotherapy	1.601	10.5	2	0.507	22	0.154		x	
B72B	М	Infection of the nervous system except for viral meningitis, age > 15 years	0.858	6.6	1	0.395	14	0.128		х	
B73A	М	Viral meningitis and age < 2 years	0.591	2.9	1	0.268	5	0.198		х	
B73B B75Z	M	Viral meningitis and age > 1 year Febrile convulsions	0.602	4 2.4	1	0.26 0.24	9	0.149 0.153	0.24	X	
B76A	М	Seizures with invasive video EEG or non-invasive video EEG from 120 hours, more than one inpatient day	2.796	11.2	2	0.929	22	0.271		х	
B76B	М	Seizures and complex treatment for epilepsy from 14 treatment days, more than one inpatient day	2.984	18.6	5	0.491	28	0.164	0.172		
B76C	М	Seizures and complex treatment for epilepsy from 7 treatment days or complex intensive care treatment/complex treatment in intermediate care unit > 130/119 points or specific diagnosis, more than one inpatient day	1.718	8.7	1	0.846	14	0.203	0.229		
B76D	М	Seizures or non-invasive video EEG from 72 hours or age < 16 years, more than one inpatient day	1.192	3.6	1	0.595	6	0.281	0.595		
B76E B76F	M M	Seizures or video EEG or complex treatment for epilepsy from 7 treatment days, more than one inpatient day, age > 15 years Seizures with complex neurological diagnostics or EEG with complex diagnosis or congenital malformations or extremely severe CC and	1.049	3.7 6.6	1	0.52	8 15	0.223	0.52		
B76G	М	more than one inpatient day  Seizures with complex neurological diagnostics or EEG and more than one inpatient day, or age < 6 years or complex diagnosis or	0.839	4.4	1	0.387	10	0.195	0.242		
B76H	М	severe CC Seizures, age > 5 years	0.6	3.5	1	0.264	8	0.159	0.264		
B77A	М	Headaches with complex neurological diagnostics or age < 16 years or complex intensive care treatment/complex treatment in	0.653	3.4	1	0.295	8	0.132	0.295		
B77B	М	intermediate care unit adults > 59 points Headaches and age > 15 years	0.489	3.4	1	0.21	7	0.095	0.21		
B78A	М	Intracranial injury with complex intensive care treatment/complex treatment in intermediate care unit adults > 59 points or age < 16 years	1.037	5.3	1	0.472	12	0.191	0.22		
B78B	М	Intracranial injury, age > 15 years	0.653	4.7	1	0.288	11	0.138	0.18		
B79Z	M	Cranial fractures or congenital malformation of the cranial bones  Other head injuries with complex intensive care treatment/complex	0.516	3.1	1	0.223	7	0.16	0.223		
B80A B80B	M	treatment in intermediate care unit > 65/59 points	0.822	3 2.5	1	0.357	6 5	0.262	0.357 0.165		
B81A	М	Other head injuries Vascular myelopathies or other diseases of the nervous system with complex diagnosis or complex neurological diagnostics and age < 16 years or specific diagnosis	0.392 1.23	4.5	1	0.165	10	0.146	0.165		
B81B	М	Vascular myelopathies or other diseases of the nervous system with complex diagnosis or complex neurological diagnostics or severe CC, age > 15 years	1.081	7.2	1	0.505	17	0.15	0.159		
B81C B82Z	M	Other diseases of the nervous system Other diseases of peripheral nerves	0.739	5.9 3.5	1	0.335 0.198	13 7	0.127 0.088	0.157 0.198		
B85A	М	Degenerative diseases of the nervous system with extremely severe CC or complicating diagnoses or complex neurological diagnostics, or cerebral palsies or age < 16 years or difficult diagnosis or	1.125	7.5	1	0.536	17	0.156	0.169		
B85B	М	paraplegia/tetraplegia Degenerative diseases of the nervous system, age > 15 years	0.817	5.9	1	0.38	15	0.14	0.177		
B86A	М	Diseases and disorders of the nervous system with complex intensive care treatment/complex treatment in intermediate care unit > 65/59 points or non-invasive video EEG > 24 to 48 hours, one inpatient day	0.562	1						х	
B86B	М	Diseases and disorders of the nervous system with neoplasms or specific diagnosis or paraplegia/tetraplegia or transferred, one inpatient day	0.322	1						x	
B86C	М	Diseases and disorders of the nervous system, one inpatient day  Diseases and disorders of the nervous system with complex	0.263	1						X	
B87A	М	intensive care treatment/complex treatment in intermediate care unit > 130/184 points or complex neurological treatment for at least 24 hours or very severe CC	2.483	10	2	0.796	22	0.258		х	x
B87B	М	Diseases and disorders of the nervous system with complex intensive care treatment/complex treatment in intermediate care unit adults > 119 points  Diseases and disorders of the nervous system with early neurological	1.512	6.7	1	0.724	15	0.226		х	x
B90A	0	Diseases and disorders of the nervous system with early neurological rehabilitation from 21 treatment days or complex treatment in intermediate care unit > 1176/1104 points or complex OR procedure Diseases and disorders of the nervous system with complex	7.296	22.8	6	0.885	40	0.291	0.293		х
B90B	0	Discasse and userials of his mortion system with compact treatment in intermediate care unit > 392/552 points or early rehabilitation from 7 treatment days or specific complex intensive care treatment with complex treatment in intermediate care unit points	4.622	16.7	4	0.903	30	0.27	0.298		x
MDC 02: Dis	eases	and disorders of the eye									

					Minimum le	ngth of stay	Maximum	length of stay			
DRG <sup>9)</sup>	Partiti on	Designation el 27 al	Cost weight with costs of system use (CSU)	Mean length of stay 1)	First day with reduction <sup>2) s)</sup>	Cost weight/day	First day with additional fee <sup>3)</sup>	Cost weight/day	External transfer reduction/day (cost weight)	Transfer flat rate per case	Not counted as readmission 4)
1	2	3	4	5	6	7	8	9	10	11	12
C01Z C02Z	0	Interventions for open eye injuries	0.947 1.009	2.9 3.6	1	0.266 0.261	6 8	0.208 0.161	0.266 0.261		X
		Interventions on the orbital cavity and eyeball Interventions over more than one session or bilateral interventions on									*
C03A	0	the retina, choroid, vitreous humour and posterior chamber or cerebral palsy	1.149	3.6	1	0.343	7	0.255	0.343		
C03B	0	Interventions on the retina, choroid, vitreous humour and posterior chamber	0.652	2.1	1	0.138	4	0.188	0.138		
C04Z	0	Interventions on the cornea	0.996	2.9	1	0.294	5	0.143	0.294		
C06A	0	Interventions on the iris, ciliary body, sclera and anterior chamber with implantation of a glaucoma drainage implant	0.791	2.3	1	0.275	4	0.224	0.275		
C06B	0	Interventions on the iris, ciliary body, sclera and anterior chamber	0.704	2.2	1	0.237	4	0.209	0.237		
C08A	0	Extracapsular extraction of the lens with intervention over more than one session or bilateral intervention or congenital malformation of the	0.677	2	1	0.043	4	0.135	0.043		
C08B	0	lens Intervention on the lens	0.554	2.1	1	0.158	4	0.117	0.158		
C10Z	0	Interventions on the eye muscles	0.444	1			2	0.248	0.248		
C12Z	0	Interventions on the eyelid	0.781	2.7	1	0.18	5	0.11	0.18		
C13A	0	Interventions over more than one session or bilateral interventions on the lachrymal apparatus or reconstruction of the nose	0.738	2.1	1	0.212	4	0.159	0.212		
C13B	0	Interventions on the lachrymal apparatus	0.646	2.1	1	0.14	4	0.151	0.14		
C14Z	0	Interventions on the conjunctiva or other procedures  Specific interventions over more than one session or bilateral	1.364	5.8	1	0.506	12	0.133	0.236		
C29Z	0	interventions on the cornea or prosthetic iris, or malignant neoplasm	1.37	4.4	1	0.386	10	0.268	0.241		
C60A	М	with specific procedure  Acute and severe eye infections with complicating diagnosis or with	1.073	8.4	1	0.511	18	0.142	0.138		
C60B	M	severe CC Acute and severe eye infections	0.641	4.6	1	0.311	10	0.142	0.138		
		Neuro-ophthalmological and vascular diseases of the eye with									
C61A	М	complicating diagnosis or with severe CC or complex neurological diagnostics or complex neurological treatment for at least 24 hours	0.776	4.5	1	0.352	10	0.167	0.22		
C61B	М	Neuro-ophthalmological and vascular diseases of the eye	0.693	4.1	1	0.31	8	0.119	0.194		
C62Z	M	Hyphaema and conservatively treated eye injuries	0.486	3.2	1	0.219	7	0.108	0.219		
C63A C63B	M	Malignant neoplasms of the retina and age < 16 years  Diabetic or specific diseases of the eye	0.671 0.776	1.4 4.6	1	0.355	10	0.386 0.167	0.546 0.222		Х
C63C	M	Malignant neoplasms or other diseases of the eye	0.521	3.2	1	0.239	7	0.107	0.239		
C64Z	М	Glaucoma, cataract and diseases of the eyelid	0.564	2.7	1	0.278	5	0.157	0.278		
C86Z	M	Diseases and disorders of the eye, one inpatient day	0.306	1						х	
D01A	eases	and disorders of the ear, nose, mouth and throat  Cochlea implantation bilateral or implantation of a knee joint	4 10	3.1			9	0.329	0.399		
	_	endoprosthesis	4.18								
D01B	0	Cochlea implantation  Complex resections with reconstructions of the head and throat and	2.601	2.2			4	0.224	0.234		
D02A	0	combination intervention with extremely difficult CC or complicating procedure or complex OR procedure over more than one session, with complex intensive care treatment/complex treatment in	7.873	20.8	5	0.8	35	0.236	0.251		
D02B	0	Intermediate care unit > 196/184 points or specific processes  Complex resections with reconstructions of the head and throat and combination intervention with extremely difficult CC or complicating procedure or complex OR procedure over more than one session	6.278	18	5	0.608	34	0.206	0.213		
D03A	0	Surgical correction of a cleft lip/jaw/palate with rhinoplasty	1.658	3.1	1	0.342	5	0.226	0.342		
D03B D03C	0	Surgical correction of a cleft lip/jaw/palate, age < 2 years  Surgical correction of a cleft lip/jaw/palate, age > 1 year	1.321 1.125	3.6 2.8	1	0.309 0.251	6 5	0.174 0.128	0.309 0.251		
D04Z	0	Bimaxillary osteotomy and complex interventions on the jaw	1.567	2.9	1	0.476	5	0.338	0.476		
D05A	0	Complex parotidectomy	1.192	2.6	1	0.242	5	0.189	0.242		
D05B	0	Complex interventions on the salivary glands except for complex parotidectomies	0.909	2.4	1	0.241	4	0.12	0.241		
D06A	0	Challenging interventions on the paranasal sinus, mastoid, middle ear and other interventions on the salivary gland, with complex tympanoplasty or age < 6 years Challenging interventions on the paranasal sinus, mastoid, middle	0.885	2.2	1	0.16	4	0.264	0.16		
D06B	0	ear and other interventions on the salivary gland, age > 5 and < 16 years, or complex intervention on the mastoid or paranasal sinus or with complex diagnosis, age > 15 years	0.725	2.3	1	0.163	4	0.193	0.163		
D06C	0	Challenging interventions on the paranasal sinus, mastoid, middle ear and other interventions on the salivary gland, age > 15 years	0.646	2.3	1	0.123	4	0.161	0.123		
D08Z	0	Interventions on the oral cavity and mouth for malignant neoplasm	0.763	2.6	1	0.236	5	0.177	0.236		
D09A	0	Tonsillectomy for malignant neoplasm with severe CC or various interventions on the ear, nose, mouth and throat with severe CC	1.393	5.8	1	0.443	14	0.177		х	х
D09B D12A	0	Tonsillectomy for malignant neoplasm  Other challenging interventions or radiotherapy or specific OR procedures over more than one session for diseases and disorders	1.182	2.5	1	0.205	8	0.119	0.205		x
D12B	0	of the ear, nose, mouth and throat Other interventions on the ear, nose, mouth and throat	0.716	2.5	1	0.192	5	0.21	0.192		
D13A	0	Tonsillectomy or adenectomy except for malignant neoplasm with	0.996	4.5	1	0.307	9	0.177	0.192		
D13B	0	Interventions over more than one session Haemostasis after tonsillectomy or adenectomy or tonsillectomy for	0.58	2.3	1	0.186	4	0.117	0.186		
D13C	0	abscess, except for malignant neoplasm, age < 16 years  Tonsillectomy or adenectomy except for malignant neoplasm, age >	0.48	2.3	1	0.138	4	0.102	0.138		
2130		15 years Tracheostomy or radiation and multidrug-resistant pathogens, with	0.40	2.3	'	0.100	-	0.102	U. 130		
D15A	0	extremely severe CC or complex treatment in intermediate care unit > 196/184 points and complex OR procedure	4.66	18.6	5	0.626	36	0.203	0.219		x
D15B	0	Tracheostomy or radiation with multidrug-resistant pathogens or complex treatment in intermediate care unit > 196/184 points	2.428	10.7	2	0.58	21	0.168	0.188		х
D16Z	0	Material removal from the jaw and face	0.894	2.1	1	0.308	4	0.117	0.308		
D17Z	0	Plastic reconstruction of the pinna	1.101	3	1	0.263	6	0.175	0.263		
D20Z	0	Radiotherapy for diseases and disorders of the ear, nose, mouth and throat	0.816	4.6	1	0.407	10	0.193	0.254		х
D22Z	0	Interventions on the oral cavity and mouth except for malignant neoplasm	0.704	2.5	1	0.259	5	0.171	0.259		
D23Z	0	Implantation of a hearing aid	1.564	2.1	1	0.243	4	0.137	0.243		
D24A	0	Complex dermatoplasties and major interventions on the head and throat with complex or specific intervention or vacuum treatment or complete laryngectomy with severe CC or combination intervention, or extremely severe CC with radical laryngectomy	5.14	15.2	4	0.57	27	0.234	0.201		
D24B	0	Complex dermatoplasties and major interventions on the head and	2.041	6.4	1	0.537	15	0.184	0.201		
D24C	0	throat with combination intervention or extremely severe CC Complex dermatoplasties and major interventions on the head and	1.656	5.1	1	0.406	11	0.175	0.19		
D25A	0	throat  Moderately complex interventions on the head and throat and extremely severe CC or radiotherapy with surgical intervention, or	2.292	6.3	1	0.406	15	0.175	0.19		x
D25B	0	specific intervention  Moderately complex interventions on the head and throat	0.965	2.9	1	0.316	6	0.18	0.316		x
		Maxillary osteotomy and complex interventions on the head and									
D28Z D29Z	0	throat or other interventions on the head and throat for malignant neoplasm  Surgery on the jaw and other interventions on the head and throat	0.859	2.9	1	0.377	6 5	0.239	0.377		х
D30A	0	except for malignant neoplasm Various interventions on the ear, nose, mouth and throat with extremely severe CC, with challenging intervention or intervention on the oral cavity and mouth except for malignant neoplasm without graft involving the floor of the mouth or vestblue with age < 3 years,	0.695	2.1	1	0.124	4	0.223	0.124		
D30B	0	Various interventions on the ear, nose, mouth and throat with specific procedure or age < 16 years	0.621	2.2	1	0.184	4	0.169	0.184		
D30C	0	Various interventions on the ear, nose, mouth and throat, age > 15	0.524	2.4	1	0.146	5	0.14	0.146		
		vears		<u>I</u>		1	<u>I</u>		1		

					Minimum le	ength of stay	Maximum	length of stay			
DRG <sup>9)</sup>	Partiti on	Designation <sup>e) 7) e)</sup>	Cost weight with costs of system use (CSU)	Mean length of stay 1)	First day with reduction <sup>2) s)</sup>	Cost weight/day	First day with additional fee 3)	Cost weight/day	External transfer reduction/day (cost weight)	Transfer flat rate per case	Not counted as readmission 4)
1	2	3 Interventions on the nose and paranasal sinuses for malignant	4	5	6	7	8	9	10	11	12
D35Z	0	neoplasm Diseases and disorders of the ear, nose, mouth and throat with	0.892	2.6	1	0.224	5	0.174	0.224		х
D37A	0	complex intensive care treatment > 196/184 points and complex OR procedure	5.601	15.4	4	0.729	28	0.242	0.257		x
D37B	0	Diseases and disorders of the ear, nose, mouth and throat with complex intensive care treatment > 196/184 points	2.691	8.8	1	1.141	18	0.28	0.309		х
D38A	0	Very complex interventions on the nose	0.835	2.1	1	0.201	4	0.28	0.201		
D38B	0	Complex interventions on the nose	0.596	2	1	0.141	4	0.2	0.141		
D39Z D40Z	O A	Other interventions on the nose  Dental extraction and restoration	0.512 0.686	2.4	1	0.094 0.189	6	0.105 0.124	0.094 0.189		
D60A	М	Malignant neoplasms of the ear, nose, mouth and throat, more than	1.104	7.7	1	0.512	18	0.148	0.161		X
D60B	M	one inpatient day with severe CC or specific procedure  Malignant neoplasms of the ear, nose, mouth and throat	0.635	3.4	1	0.24	8	0.111	0.24		X
		Balance problems (dizziness) with complex neurological diagnostics									
D61A	М	or extremely severe CC with more than one inpatient day	0.734	3.5	1	0.332	7	0.136	0.332		
D61B	М	Balance problems (dizziness)  Epistaxis or otitis media or infection of the upper respiratory tract and	0.467	3.4	1	0.202	7	0.11	0.202		
D62A	М	complicating procedure or specific diagnosis or severe CC or contact isolation more than 7 treatment days	0.586	4.5	1	0.263	10	0.089	0.164		
D62B	М	Epistaxis or otitis media or infection of the upper respiratory tract and	0.485	2.6	1	0.222	5	0.177	0.222		
D62C	М	age < 16 years  Epistaxis or otitis media or infections of the upper respiratory tract	0.397	3	1	0.172	6	0.085	0.172		
D64Z	M	and age > 15 years  Laryngotracheitis and epiglottitis	0.529	2.9	1	0.236	6	0.118	0.236		
D65Z	M	Injury and deformity of the nose	0.501	3.2	1	0.198	7	0.094	0.198		
D66A	М	Other diseases of the ear, nose, mouth and throat with severe CC	0.94	6.8	1	0.422	15	0.141	0.158		
D66B	М	Other diseases of the ear, nose, mouth and throat  Diseases of the teeth and oral cavity without dental extraction and	0.463	3	1	0.186	6	0.095	0.186		
D67A	М	restoration, following transplantation or severe CC and more than one inpatient day	1.139	8.1	1	0.533	18	0.137	0.144		
D67B	М	Diseases of the teeth and oral cavity without dental extraction and restoration	0.505	3.3	1	0.21	7	0.098	0.21		
D86A	М	Diseases and disorders of the ear, nose, mouth and throat with	0.448	1						х	
D86B	М	specific procedure, one inpatient day  Diseases and disorders of the ear, nose, mouth and throat, one	0.283	1						x	
DOOD	IVI	inpatient day Diseases and disorders of the ear, nose, mouth and throat with	0.203	'						^	
D87Z	м	complex intensive care treatment/complex treatment in intermediate care unit > 119 points or complex intensive care treatment	1.322	5	1	0.591	11	0.263		x	x
5072	141	newborns/children > 65 points or complex treatment in intermediate	1.522	J		0.551		0.200		Ŷ	^
MDC 04: Dis	eases	care unit newborns/children > 130 points and disorders of the respiratory system									
E01A	0	Revision interventions, bilateral lobectomy with extremely severe CC, or radiotherapy with surgical intervention	4.999	19	5	0.61	34	0.198		x	х
E01B	0	Revision interventions or bilateral lobectomy or ASD closure or specific OR procedure over more than one session	3.075	12	3	0.496	24	0.176		x	x
		Other OR procedures on the respiratory system with specific									
E02A	0	procedure or challenging situations due to malignant neoplasm or age < 16 years or complex intensive care treatment/complex	2.082	7	1	0.841	16	0.257		x	
FOOD	_	treatment in intermediate care unit > 119 points  Other OR procedures on the respiratory system, age > 15 years with	4.050	0.7		0.504	45	0.407			
E02B	0	challenging intervention on the bronchus	1.659	6.7	1	0.564	15	0.187		х	
E02C		Other OR procedures on the respiratory system, age > 15 years  Other major interventions on the thorax with extremely severe CC or	1.25	6.3	1	0.713	15	0.154	0.21	Х	
E05A	0	cardiopulmonary bypass or complicating procedure	3.421	13.6	3 1	0.64	26	0.196	-		х
E05B E05C	0	Other major interventions on the thorax for malignant neoplasm  Other major interventions on the thorax	2.089 1.965	5.7 8.2	1	0.633 0.679	11 16	0.162 0.171	0.296 0.184		Х
	0	Other pulmonary resections, biopsy involving thoracic organs and			2						
E06A	U	interventions on the thoracic wall with extremely severe CC or surgical lung volume reduction	2.68	10.1	2	0.655	20	0.201	0.212		
E06B	0	Other pulmonary resections, biopsy involving thoracic organs and interventions on the thoracic wall, age < 16 years	1.902	5.5	1	0.562	11	0.221	0.262		
E06C	0	Other pulmonary resections, biopsy involving thoracic organs and interventions on the thoracic wall, age > 15 years	1.559	4.7	1	0.751	10	0.147	0.47		
E07Z	0	Interventions for sleep apnoea syndrome	0.653	2.2	1	0.181	4	0.112	0.181		
E08A	0	Radiotherapy for diseases and disorders of the respiratory system, more than one inpatient day with extremely severe CC or	2.265	13.6	3	0.545	28	0.17		x	x
		complicating procedure or challenging situations due to malignant neoplasm				5.5.15					
E08B	0	Radiotherapy for diseases and disorders of the respiratory system, more than one inpatient day	1.128	7.1	1	0.539	17	0.173		x	x
		Complex OR procedures over more than one session or pleurectomy for malignant pleural mesothelioma with complex									
E33A	0	intensive care treatment/complex treatment in intermediate care unit	6.514	19.2	5	0.757	34	0.245		x	
E33B	0	> 184 points Complex OR procedures over more than one session or	3.446	11.6	2	0.798	21	0.216	0.233		
	Ť	pleurectomy for malignant pleural mesothelioma  Diseases and disorders of the respiratory system with complex	3.113		_	000		0.2.10	0.200		
	_	intensive care treatment > 980/1104 points or specific OR procedure			_						
E36A	0	over four sessions or complex vacuum treatment or specific complex intensive care treatment with complex treatment in intermediate care	9.135	23.5	6	1.239	40	0.374		×	x
	<u> </u>	unit points or complex procedure or very severe CC									
	_	Diseases and disorders of the respiratory system with complex intensive care treatment > 392/552 points or specific OR procedure									
E36B	0	over more than one session or complex procedure or complex intensive care treatment > 196/360 points with specific OR	5.399	16	4	0.997	30	0.324		х	х
		procedure or paraplegia/tetraplegia Diseases and disorders of the respiratory system with complex									
E36C	0	intensive care treatment > 360 points or specific complex intensive care treatment with complex treatment in intermediate care unit	3.419	13	3	0.824	25	0.267		x	x
	_	points or paraplegia/tetraplegia or very severe CC  Diseases and disorders of the respiratory system with complex									
E36D	0	intensive care treatment > 130/184 points	2.32	9.3	2	0.739	19	0.252		х	х
E60A	М	Cystic fibrosis (mucoviscidosis) or other lung diseases with evaluation for transplantation or contact isolation from 7 treatment	1.799	7.6	1	0.825	15	0.218	0.259		x
E60B	М	days or age < 16 years Cystic fibrosis (mucoviscidosis) without other lung diseases with	1.164	8.4	1	0.559	18	0.134	0.151		x
		evaluation for transplantation or ARDS, age > 15 years  Sleep apnoea syndrome or cardiorespiratory polysomnography up to		<u> </u>		0.000		007	001		^
E63A	М	2 inpatient days, complex neurological treatment or specific invasive	0.792	3	1	0.36	7	0.202	0.36		
	-	cardiological diagnostics or paraplegia/tetraplegia or age < 16 years  Sleep apnoea syndrome or cardiorespiratory polysomnography up to									
E63B	М	2 inpatient days, age > 15 years	0.386	2.5	1	0.125	5	0.121	0.125		
E64A	М	Respiratory insufficiency or pulmonary embolism with specific procedure or extremely severe CC or contact isolation from 7	1.629	11.6	2	0.517	24	0.144	0.151		
E64B	М	treatment days  Respiratory insufficiency or pulmonary embolism, age < 16 years	0.634	3.1	1	0.31	6	0.209	0.31		
E64C	М	Respiratory insufficiency or pulmonary embolism with severe CC,	0.985	7.3	1	0.455	16	0.134	0.143		
E64D	М	age > 15 years  Respiratory insufficiency or pulmonary embolism, age > 15 years	0.597	4.6	1	0.265	10	0.126	0.166		
		Chronic obstructive pulmonary disease following transplantation or specific intervention or with extremely severe CC or specific									
E65A	М	procedure and more than 1 inpatient day, or contact isolation from 7	1.495	11.6	2	0.471	24	0.132	0.138		
E65B	М	treatment days Chronic obstructive pulmonary disease with bronchoscopy	0.782	4.8	1	0.36	12	0.113	0.225		
E65C	М	Chronic obstructive pulmonary disease, age < 16 years	0.487	2.6	1	0.22	5	0.179	0.22		
E65D	М	Chronic obstructive pulmonary disease, age > 15 years	0.664	5.6	1	0.3	12	0.115	0.14	l	

					Minimum le	ngth of stay	Maximum	length of stay			
DRG <sup>9)</sup>	Partiti on	Designation <sup>e) 7) e)</sup>	Cost weight with costs of system use (CSU)	Mean length of stay 1)	First day with reduction <sup>2) s)</sup>	Cost weight/day	First day with additional fee 3)	Cost weight/day	External transfer reduction/day (cost weight)	Transfer flat rate per case	Not counted as readmission 4)
1	2	3	4	5	6	7	8	9	10	11	12
E66A E66B	M	Severe thorax trauma with complicating diagnosis Severe thorax trauma	0.659 0.539	5 4.4	1	0.29 0.237	11 10	0.128 0.118	0.148	Х	
E70A	М	Pertussis and acute bronchitis, age < 1 year or RSV infections with	0.919	5.2	1	0.438	11	0.177	0.204		
E70B	М	specific procedure or contact isolation from 7 treatment days  Pertussis and acute bronchitis, age < 1 year or RSV infections or	0.629	3.6	1	0.292	8	0.175	0.292		
E70C	M	difficult diagnoses Pertussis and acute bronchitis, age > 0 years	0.508	3.2	1	0.229	7	0.173	0.229		
E71A	м	Neoplasms of the respiratory system with externelly severe CC or rigid bronchoscopy with moderately or highly complex chemotherapy or specific isolations from 14 treatment days or challenging situations due to malignant neoplasm, or paraplegia/tetraplegia, age > 15 wears	2.119	13.5	3	0.511	27	0.164	0.223	х	х
E71B	М	Neoplasms of the respiratory system with extremely severe CC or rigid bronchoscopy or specific procedure or specific isolations from 7 treatment days, age < 16 years, or specific interventions or challenging situations due to malignant neoplasm	1.135	6.5	1	0.535	16	0.132		x	х
E71C E73A	M	Neoplasms of the respiratory system  Pleural effusion with severe CC	0.722 1.472	5.4 10.7	2	0.335 0.461	12 23	0.118 0.131	0.149	x	x
E73B	M	Pleural effusion	0.746	5.5	1	0.336	11	0.09	0.157		
E74Z	М	Interstitial lung disease	0.943	6.6	1	0.441	16	0.145	0.165		
E75A	М	Other diseases of the respiratory system, age < 18 years or with extremely severe CC or contact isolation from 7 treatment days with specific diagnosis or specific intervention Other diseases of the respiratory system with severe CC, age > 17	1.479	9.3	2	0.465	21	0.153	0.169		
E75B	М	years	0.754	5.7	1	0.343	12	0.132	0.16		
E75C	М	Other diseases of the respiratory system  Tuberculosis, more than 14 inpatient days, with colonisation or	0.582	4.1	1	0.26	9	0.108	0.163		
E76A	М	infection with multidrug-resistant pathogens or age < 16 years or complicating procedure or extremely severe CC or OR procedure	4.207	26.4	7	0.499	44	0.155	0.159		
E76B	М	Tuberculosis, more than 14 inpatient days, age > 15 years	2.204	19.9	5	0.357	30	0.11	0.118		
E76C	M	Tuberculosis up to 14 inpatient days or extremely severe CC	1.213 0.649	8 4.6	1	0.572 0.278	17 10	0.14 0.119	0.155 0.174		
E76D E76E	M	Traumatic pneumothorax or haemothorax  Other pneumothorax	0.649	4.6 3.7	1	0.278	10 7	0.119	0.174		
E77A	М	Other infections and inflammation of the respiratory system with complicating diagnosis following organ transplantation or with extremely severe CC or complicating procedure or contact isolation from 7 treatment days or specific endoscopic procedures or very severe CC or paraplegia/teralpegia	1.491	10.4	2	0.468	21	0.143	0.151		
E77B	М	Other infections and inflammation of the respiratory system with complex diagnosis or with severe CC or specific procedure	0.956	7.4	1	0.443	15	0.128	0.139		
E77C	М	Other infections and inflammation of the respiratory system	0.638	5.1	1	0.288	10	0.122	0.134		
E78Z	М	Monitoring and optimisation of an existing respiratory therapy, up to 2 inpatient days	0.389	1.7						x	
E86A	М	Diseases and disorders of the respiratory system with complex treatment or specific diagnostics, one inpatient day	0.531	1						x	
E86B	М	Diseases and disorders of the respiratory system with malignant neoplasm or transthoracic lung biopsy or difficult diagnoses, one inpatient day	0.313	1						х	
E86C	М	Diseases and disorders of the respiratory system, one inpatient day	0.278	1						×	
E87A	М	Diseases and disorders of the respiratory system with complex intensive care treatment/complex treatment in intermediate care unit adults > 119 points or age < 16 years or extremely severe CC and more than one inpatient day, or contact isolation from 7 treatment days	1.559	7.8	1	0.736	17	0.202		х	х
E87B	М	Diseases and disorders of the respiratory system with complex intensive care treatment/complex treatment in intermediate care unit	1.095	6.2	1	0.445	13	0.177		x	x
E90A	0	> 65/59 points Diseases and disorders of the respiratory system with complex	5.029	19.7	5	0.774	35	0.248		х	x
20071	_	treatment in intermediate care unit > 392/552 points  Diseases and disorders of the respiratory system with complex	0.020	10.1		0.774		0.2-10		^	
E90B	0	treatment in intermediate care unit > 196/184 points or specific complex intensive care treatment with complex treatment in intermediate care unit points complex OR procedure  Diseases and disorders of the respiratory system with complex	3.307	12.2	3	0.588	20	0.202		x	х
E90C	O	treatment in intermediate care unit > 196/184 points or specific complex intensive care treatment and complex treatment in intermediate care unit points and disorders of the circulatory system	2.49	11.9	2	0.776	24	0.212		х	х
F01A	0	Reimplantation of cardioverter/defibrillator (AICD), dual- or triple-	5.814	9.4	2	0.614	19	0.206	0.223		
FUIA	U	chamber pacing, with additional cardiac or vascular intervention or specific procedure	5.814	9.4	2	0.614	19	0.206	0.223		
F01B	0	Reimplantation of cardioverter/defibrillator (AICD), triple-chamber pacing	3.591	3.5	1	0.41	8	0.145	0.41		
F01C	0	Reimplantation of cardioverter/defibrillator (AICD), single-chamber pacing, with additional cardiac or vascular intervention or specific procedure	4.02	3.8	1	0.346	9	0.146	0.346		
F01D	0	Reimplantation of cardioverter/defibrillator (AICD), dual-chamber pacing	3.159	3.9	1	0.716	9	0.128	0.716		
F01E	0	Reimplantation of cardioverter/defibrillator (AICD), single-chamber pacing with extremely severe CC and more than one inpatient day	5.07	12.6	3	0.601	23	0.128	0.215		
F01F	0	Reimplantation of cardioverter/defibrillator (AICD), single-chamber pacing	2.742	4.4	1	0.802	10	0.125	0.501		
F02Z	0	Change of unit for a cardioverter/defibrillator (AICD), dual- or triple- chamber pacing	2.466	3	1	0.266	7	0.131	0.266		
F03A	0	Heart valve intervention with heart-lung machine, with complicating procedure or pacemaker with specific heart valve replacement and repeat surgery or biventricular heart failure	7.284	14.8	3	1.174	26	0.337		х	
F03B	0	Heart valve intervention with heart-lung machine, with complicating procedure or pacemaker, or reoperation with specific heart valve replacement, or multiple intervention, or complex situation with biventricular heart failure	6.174	13.3	3	0.964	23	0.217		х	
F03C	0	Heart valve intervention with heart-lung machine, with triple intervention or age < 1 year or with deep hypothermia or minimally invasive valve prosthesis or specific complex intensive care treatment with complex reatment in intermediate care unit points, or double intervention with congenital heart defect or specific intervention or age < 16 years with extremely severe CC or specific situation with biventriousl'n eart failure	4.949	9.8	2	0.958	15	0.216		x	
F03D	0	Heart valve intervention with heart-lung machine and double intervention with congenital heart defect or specific intervention or minimally invasive valve prosthesis or age < 16 years	4.09	9	2	0.756	13	0.183		х	
F03E	0	Heart valve intervention with heart-lung machine  Challenging procedures over more than one session or complex	3.718	8.5	1	1.062	12	0.18		х	
F04Z	0	Crateringing processures over more intal role session of complex vacuum freatment with specific intervention or tissue graft with microvascular anastomosis for diseases and disorders of the circulatory system  Coronary bypass surgery, with complex OR procedures over more	6.489	30.7	9	0.459	48	0.193		х	
F06A	0	than one session or complicating procedure or implantation of a pacemaker or with challenging vascular intervention or complex diagnosis with specific intervention, and biventricular heart failure or specific complex intensive care treatment with complex treatment in intermediate care unit points.	4.884	12.7	3	0.713	21	0.233	0.255		
F06B	0	Coronary bypass surgery, with challenging vascular intervention or complex diagnosis with specific intervention or extremely severe CC,	4.584	11.4	2	0.826	18	0.152	0.241		
F06C	0	with biventricular heart failure Coronary bypass surgery, with specific intervention or extremely	3.914	9.8	2	0.687	15	0.152	0.25		
F06D	0	severe CC Coronary bypass surgery	3.375	8.3	1	0.902	12	0.154	0.244		
F12A	0	Implantation of a pacemaker with extremely severe CC or dual- or triple-chamber pacing with complex intervention or age < 16 years or specific procedure, or triple-chamber pacing with specific OR procedure over more than one session	2.871	7.4	1	0.613	17	0.242	0.193		

					Minimum le	ngth of stay	Maximum	length of stay			
DRG 9)	Partiti on	Designation el 7) el	Cost weight with costs of system use (CSU)	Mean length of stay 1)	First day with reduction <sup>2) s)</sup>	Cost weight/day	First day with additional fee 3)	Cost weight/day	External transfer reduction/day (cost weight)	Transfer flat rate per case	Not counted as readmission 4)
1	2	3 Implantation of a pacemaker with triple-chamber pacing or	4	5	6	7	8	9	10	11	12
F12B	0	implantation of a leadless pacemaker or a pressure sensor or age < 16 years	2.157	3.9	1	0.478	10	0.127	0.478		
F12C F12D	0	Implantation of a pacemaker with dual-chamber pacing Implantation of a pacemaker with single-chamber pacing	1.612 1.457	3.9 5.1	1	0.573 0.557	9	0.128 0.105	0.573 0.26		
	Ŭ	Amputation due to circulatory diseases of the upper extremity and	1.101	0.1		0.507		0.100	0.20		
F13A	0	toes with surgical intervention over more than one session or complex arthrodesis of the foot or complex treatment for amputation from 7 treatment days or specific procedure or specific isolation from 14 treatment days, and extremely severe CC or vascular intervention	3.622	19.9	5	0.485	37	0.15		x	
F13B	0	Amputation due to circulatory diseases of the upper extremity and toes with surgical intervention over more than one session or complex arthrodesis of the foot or complex treatment for amputation from 7 treatment days or specific procedure or specific isolation from 14 treatment days	2.453	14.8	3	0.487	29	0.152		×	
F13C	0	Amputation due to circulatory diseases of the upper extremity and toes or various interventions for diabetes mellitus with complications	1.238	8.9	1	0.485	19	0.136		x	
F17A	0	Replacement of a pacemaker, multichamber system	1.174	2.3	1	0.267	4	0.122	0.267		
F17B	0	Replacement of a pacemaker, single-chamber system  Revision of a pacemaker or cardioverter/defibrillator (AICD) without	0.954	2.9	1	0.172	7	0.097	0.172		
F18A	0	replacing unit, with extremely severe CC or specific intervention or age < 16 years	2.302	5.5	1	0.427	15	0.135	0.199		
F18B	0	Revision of a pacemaker or cardioverter/defibrillator (AICD) without replacing unit, age > 15 years	1.219	3	1	0.565	7	0.134	0.565		
F19Z	0	Other percutaneous transluminal intervention on the heart, aorta and pulmonary vessels or specific processes	1.31	2.2	1	0.075	4	0.156	0.075		
F21A	0	Other OR procedures for circulatory diseases with extremely severe CC and vacuum treatment or extensive split-thickness skin graft	3.67	22.2	6	0.412	40	0.13		х	
F21B	0	Other OR procedures for circulatory diseases with extremely severe CC or biventricular heart failure	2.082	9.6	2	0.502	22	0.12		х	
F21C	0	Other OR procedures for circulatory diseases	1.196	6.6	1	0.609	18	0.101		х	
F24A	0	Percutaneous transluminal coronary angioplasty (PTCA) with intervention over more than one session or complicating procedures, and extremely severe CC, or specific diagnosis or specific procedure Percutaneous transluminal coronary angioplasty (PTCA) with	2.193	5.7	1	0.505	12	0.19	0.236		
F24B	0	intervention over more than one session or complicating procedures or specific diagnosis with extremely severe CC and more than one inpatient day, or with two or more drug-eluting balloons and stent placement or biventricular heart failure or age < 16 years	1.485	3.7	1	0.532	8	0.22	0.532		
F24C	0	Percutaneous transluminal coronary angioplasty (PTCA) with two stents, or complicating diagnosis or age < 16 years or biventricular heart failure or drug-eluting balloons or vascular intervention of the coronary arteries	1.044	3.3	1	0.364	7	0.194	0.364		
F24D	0	Percutaneous transluminal coronary angioplasty (PTCA), age > 15 years	0.742	2.3	1	0.193	4	0.122	0.193		
F28A	0	Amputation due to circulatory diseases except for the upper extremity and toes with additional vascular intervention or with skin graft and with extremely severe CC	4.871	24.7	7	0.483	42	0.171		x	
F28B	0	Amputation due to circulatory diseases except for the upper extremity and toes, with extremely severe CC	3.756	24	6	0.437	41	0.14		х	
F28C	0	Amputation due to circulatory diseases except for the upper extremity and toes	2.032	13.2	3	0.392	28	0.128		х	
F30Z	0	Surgery for complex congenital heart defect or hybrid therapy for children	3.853	7.6	1	1.238	13	0.333	0.389		
F31A	0	Other cardiothoracic interventions, with complicating procedure or age < 1 year or major vascular intervention, and extremely severe CC with complex OR procedure over more than one session or complex vacuum treatment or specific procedure	7.357	17.6	4	0.811	33	0.243		х	
F31B	0	Other cardiothoracic interventions with complicating procedure or age < 1 year or major vascular intervention or extremely severe CC and specific complex intensive care treatment with complex treatment in intermediate care unit points	5.179	11.3	2	1.06	20	0.206		x	
F31C	0	Other cardiothoracic interventions with complicating procedure or age < 1 year or major vascular intervention, or with extremely severe CC or age < 16 years with specific vascular interventions and excision of heart tissue or ECMO or heart pump or cardiopulmonary bypass or complex intervention	3.608	11.3	2	0.757	23	0.226		x	
F31D	0	Other cardiothoracic interventions or specific vascular interventions and excision of heart tissue or heart pump or ECMO or	2.845	8.2	1	0.819	13	0.143		x	
F31E	0	cardiopulmonary bypass or complex intervention, age > 15 years  Other cardiothoracic interventions or specific vascular interventions	1.989	6.8	1	1.124	14	0.163	0.281		
F36A	0	Diseases and disorders of the circulatory system with complex intensive care treatment > 1176/1380 points, or complex intensive care treatment > 784/828 points with specific OR procedures over more than one session	11.374	20.9	5	1.607	37	0.48		x	x
F36B	0	Diseases and disorders of the circulatory system with complex intensive care treatment > 588/1104 points or heart pump or very	10.24	20.5	5	1.35	36	0.413		x	×
F36C	0	severe CC Diseases and disorders of the circulatory system with complex intensive care treatment > 392/552 points with complex OR	8.729	17.4	4	1.237	31	0.38		x	x
F36D	0	procedure or heart pump or ECMO or complex intervention Diseases and disorders of the circulatory system with complex intensive care treatment > 392/552 points or complex intensive care	5.717	12.8	3	1.125	25	0.38		x	×
F36E	0	treatment > 196/360 points with complex OR procedure, or heart pump or ECMO Diseases and disorders of the circulatory system with complex intensive care treatment > 196/360 points or complex intensive care treatment ne	3.467	10.4	2	1.063	22	0.322		x	х
F37A	0	Diseases and disorders of the circulatory system with complex intensive care treatment > 130/184 points or complex treatment in intermediate care unit > 196/360 points, with complex OR procedure	4.278	10	2	0.946	18	0.296		x	x
F37B	0	Diseases and disorders of the circulatory system with complex intensive care treatment > 130/184 points or complex treatment in	2.641	10.2	2	0.784	20	0.245		х	x
F39A	0	intermediate care unit > 196/360 points Ligation and stripping of veins with specific bilateral intervention	0.694	2	1	0.118	4	0.12	0.118		
F39B	0	Ligation and stripping of veins or specific therapy  Invasive cardiological diagnostics for acute myocardial infarction with	0.664	2.3	1	0.099	4	0.114	0.099		
F41A F41B	A	severe CC or complex intensive care treatment/complex treatment in intermediate care unit adults > 119 points Invasive cardiological diagnostics for acute myocardial infarction	1.82 0.835	7.2	1	0.939	15 8	0.189 0.172	0.292	х	
F49A	А	Invasive cardiological diagnostics except for acute myocardial infarction with complex intervention or with complicating diagnosis,	2.423	13.6	3	0.526	27	0.161		x	
F49B	Α	and extremely severe CC or complicating procedure Invasive cardiological diagnostics except for acute myocardial infarction with extremely severe CC or age < 14 years or evaluation for heart transplantation	1.597	6.6	1	0.577	18	0.141		x	
F49C	Α	Invasive cardiological diagnostics except for acute myocardial infarction with complex intervention or with complicating diagnosis or	1.025	6	1	0.388	13	0.098		x	
F49D	А	with age > 13 years Invasive cardiological diagnostics except for acute myocardial infarction, 2 invatigat days or specific processes	0.587	1.6						х	
F49E	А	infarction, 2 inpatient days or specific processes Invasive cardiological diagnostics except for acute myocardial infarction, one inpatient day without specific processes and complex intensive care treatment/complex treatment in intermediate care unit	0.761	1						x	
F49F	A	adults > 59 points Invasive cardiological diagnostics except for acute myocardial	0.457	1						x	
F50A	0	infarction, one inpatient day without specific processes  Ablative measures for tachycardia with ablation over more than one session or left atrial appendage occlusion and ablation of the left	2.317	2.9	1	0.265	7	0.213	0.265		
		session or left atrial appendage occlusion and ablation of the left atrium/ventricle  Ablative measures for tachycardia of the left atrium/ventricle or									
F50B	0	Ablative measures for tachycardia of the left atrium/ventricle or specific procedure or age < 16 years	1.761	2.1	1	0.377	4	0.143	0.377		

					Minimum le	ngth of stay	Maximum	length of stay			
DRG <sup>9)</sup>	Partiti on	Designation <sup>e) 22 e)</sup>	Cost weight with costs of system use (CSU)	Mean length of stay 1)	First day with reduction <sup>2) 5)</sup>	Cost weight/day	First day with additional fee 3)	Cost weight/day	External transfer reduction/day (cost weight)	Transfer flat rate per case	Not counted as readmission 4)
1	2	3	4	5	6	7	8	9	10	11	12
F50C	0	Ablative measures for tachycardia with specific ablation processes,	1.285	2.4	1	0.377	5	0.131	0.377		
F50D	0	Ablative measures for tachycardia, age > 15 years	0.968	2.2	1	0.276	4	0.127	0.276		
F51A	0	Endovascular implantation of complex stent prostheses in the aorta or implantation of specific stents or specific diagnosis, and use of at least 3 stents or extremely severe CC	5.632	7.2	1	0.707	16	0.213	0.222		
F51B	0	Endovascular implantation of complex stent prostheses in the aorta or implantation of specific stents or specific diagnosis	2.747	4.4	1	0.429	9	0.209	0.268		
F51C	0	Endovascular implantation of stent prostheses in the aorta  Complex or moderately complex vascular interventions with	2.27	3.8	1	0.324	8	0.183	0.324		
F59A	0	interventions over more than one session or vacuum treatment or specific interventions with extremely severe CC	4.447	18.6	5	0.464	33	0.177		х	
F59B	0	Complex or moderately complex vascular interventions and extremely severe CC Complex or moderately complex vascular interventions with	2.956	11.5	2	0.644	24	0.184		х	-
F59C	0	endovascular intervention over more than one session or hybrid therapy or complicating procedure	2.033	6	1	0.484	13	0.219		х	
F59D	0	Complex or moderately complex vascular interventions with endarterectomy or selective thrombolysis or vascular intervention due to embolism/thrombosis	1.495	5.3	1	0.662	10	0.159		х	
F59E	0	Complex or moderately complex vascular interventions with complex intensive care treatment/complex treatment in intermediate care unit adults > 119 points or specific processes or age < 16 years	1.348	3	1	0.407	7	0.237		x	
F59F	0	Complex or moderately complex vascular interventions with several additional stent placements or complicating diagnosis or specific	0.963	2.8	1	0.325	6	0.157	0.325		
F59G	0	procedure, age > 15 years  Complex or moderately complex vascular intervention, age > 15	0.779	2.3	1	0.208	4	0.169	0.208		
F60A	М	years Acute myocardial infarction without invasive cardiological diagnostics	1.055	7.7	1	0.484	17	0.134	0.152		
F60B	М	with severe CC  Acute myocardial infarction without invasive cardiological diagnostics	0.603	4.1	1	0.464	8	0.098	0.152		
		Acute myocardial infarction without invasive cardiological diagnostics  Endocarditis with complicating diagnosis or complicating procedure							U. 100		
F61A	M	or invasive cardiological diagnostics or extremely severe CC	3.077	21.3	6	0.418	38	0.141		x	
F61B	М	Endocarditis Heart failure and shock with extremely severe CC and dialysis or	1.743	14		0.411	26	0.123		х	
F62A	М	resuscitation or specific procedure or complicating diagnosis or contact isolation from 7 treatment days, or very severe CC	1.861	12.9	3	0.44	26	0.143	0.157		<u> </u>
F62B	М	Heart failure and shock with extremely severe CC or specific procedure or evaluation for heart transplantation  Heart failure and shock with severe CC or age < 16 years or	1.611	12.6	3	0.38	25	0.129	0.136		
F62C	М	complex intensive care treatment/complex treatment in intermediate care unit > 59 points	1.16	9.6	2	0.362	19	0.112	0.132		
F62D	М	Heart failure and shock, age > 15 years	0.76	6.7	1	0.347	14	0.101	0.13		
F63A F63B	M M	Venous thrombosis with severe CC Venous thrombosis	0.94 0.578	7.4 4.5	1	0.428 0.257	17 10	0.124 0.086	0.134 0.161		
F63B F64Z	M	Venous thrombosis Skin ulcer due to circulatory disorders	0.578	4.5 5.9	1	0.257	10	0.086	0.161		
F66A	М	Coronary artery sclerosis, cardiac arrhythmias, angina with extremely severe CC or complex intensive care treatment/complex treatment in intermediate care unit adults > 119 points or complex diagnosis or age < 16 years	0.797	6.2	1	0.36	13	0.123	0.135		
F66B	М	Coronary artery sclerosis, cardiac arrhythmias, angina, age > 15 vears	0.516	3.7	1	0.22	8	0.092	0.22		
F67A	М	Hypertension with severe CC or age < 16 years or complex intensive care treatment/complex treatment in intermediate care unit adults	0.788	5.7	1	0.36	12	0.133	0.168		
F67B	М	> 119 points or specific diagnosis  Hypertension, age > 15 years	0.438	3.4	1	0.188	7	0.083	0.188		
F68Z F69A	M	Congenital heart disease Heart valve diseases with severe CC	0.934 1.288	3 9	1 2	0.32 0.382	7 19	0.174 0.133	0.32 0.139		
F69B	М	Heart valve diseases	0.57	4.2	1	0.252	9	0.11	0.157		
F70A	М	Severe arrhythmia and cardiac arrest with severe CC or age < 16 years or complex intensive care treatment/complex treatment in intermediate care unit adults > 119 points, more than one inpatient day	0.878	5.6	1	0.387	13	0.147	0.181		
F70B	М	Severe arrhythmia and cardiac arrest, more than one inpatient day Syncope and collapse with complex intensive care	0.606	3.8	1	0.265	8	0.104	0.265		
F73A	М	treatment/complex treatment in intermediate care unit > 65/59 points or paraplegia/tetraplegia	0.835	4.1	1	0.38	9	0.201	0.238		
F73B	М	Syncope and collapse Thoracic pain with specific procedure or dialysis or extremely severe	0.517	3.9	1	0.225	8	0.129	0.225		
F74A	М	CC or age < 18 years	0.784	4.4	1	0.341	10	0.108	0.213		
F74B F75A	M	Thoracic pain with age > 17 years Other diseases and neoplasms of the circulatory system with complex treatment in intermediate care unit > 184 points or complex treatment due to amputation from 14 treatment days or age < 18	0.463 2.22	9.8	2	0.193	6 19	0.095	0.193		
F75B	М	years with severe CC Other diseases and neoplasms of the circulatory system with	2.021	13.4	3	0.478	27	0.144	0.157		
F75C	м	extremely severe CC, age > 17 years Other diseases and neoplasms of the circulatory system or vascular	0.985	4.1	1	0.416	10	0.219	0.26		
F75D	М	intervention, age < 18 years or paraplegia/tetraplegia Other diseases and neoplasms of the circulatory system or vascular	0.963	5.2	1	0.410	13	0.219	0.158		
F86A	М	intervention, age > 17 years  Diseases and disorders of the circulatory system with complex intensive care treatment/complex treatment in intermediate care unit	0.772	1	'	0.000	10	0.110	0.100	x	
		> 130/119 points, one inpatient day									
F86B F87Z	М	Diseases and disorders of the circulatory system, one inpatient day Diseases and disorders of the circulatory system with complex intensive care treatment/complex treatment in intermediate care unit	0.29 1.592	8.7	1	0.735	18	0.197		x x	x
F90A	0	> 119 points or specific procedure  Diseases and disorders of the circulatory system with complex treatment in intermediate care unit > 392/552 points or specific complex intensive care treatment with complex treatment in intermediate care unit points with complex Or procedure over more	10.001	23.6	6	0.846	40	0.262		x	x
F90B	0	than one session or challenging intervention Diseases and disorders of the circulatory system with complex treatment in intermediate care unit > 392/552 points or specific	7.155	18.3	5	0.764	32	0.259		x	x
		complex intensive care treatment with complex treatment in intermediate care unit points with complex OR procedure Diseases and disorders of the circulatory system with complex treatment in intermediate care unit > 392/552 points or specific									
F90C F95A	0	treatment in intermediate care unit > 392/552 points or specific complex intensive care treatment with complex treatment in intermediate care unit points interventional closure of an atrial or ventricular septal defect, age <	5.462 1.413	19.1	1	0.765	33	0.249	0.294	х	х
-		18 years Interventional closure of an atrial or ventricular septal defect, age >									
F95B	0	17 years Endovascular heart valve intervention with aortocoronary bypass or	0.972	2.2	1	0.23	4	0.161	0.23		
F98A	0	complex intensive care treatment > 196/360 points or multiple heart valve intervention Endovascular heart valve intervention with implantation of a pacemaker/graft or closure of an ASD or the left atrial appendage or	8.147	12.5	3	0.841	24	0.277	0.3		
F98B	0	pacernaker/grait or closure of an ASD of the left attail appendage of minimally invasive mitral or tricuspid valve replacement or age < 16 years  Endovascular heart valve intervention with minimally invasive	5.443	7.5	1	0.718	15	0.206	0.226		
F98C F98D	0	valvuloplasty of the mitral or tricuspid valve, age > 15 years Endovascular heart valve intervention, age > 15 years	4.613 4.102	4.9 5.6	1	0.448	11	0.203	0.28		
		and disorders of the digestive system	4.102	0.0		0.524	- 11	0.206	U.240		
G02A	0	Interventions involving the small and large intestine and complicating diagnosis and extremely severe CC	3.504	16.8	4	0.505	32	0.157	0.166		
G02B	0	Interventions on the small and large intestines with specific diagnosis or complex intervention, or specific complex intervention and age < 2	1.984	7.9	1	0.562	15	0.109	0.177		
GUZB	U	or complex intervention, or specific complex intervention and age < 2 years	1.904	1.9	'	0.562	15	0.109	0.177		L

					Minimum le	ength of stay	Maximum	length of stay			
DRG <sup>9)</sup>	Partiti on	Designation <sup>(1) 27 (1)</sup>	Cost weight with costs of system use (CSU)	Mean length of stay 1)	First day with reduction <sup>2) s)</sup>	Cost weight/day	First day with additional fee <sup>3)</sup>	Cost weight/day	External transfer reduction/day (cost weight)	Transfer flat rate per case	Not counted as readmission 4)
1	2	3 Major interventions on the stomach, oesophagus and duodenum with	4	5	6	7	8	9	10	11	12
G03A	0	complex intensive care treatment > 196/184 points or vacuum treatment	5.944	17.2	4	0.865	29	0.268	0.267		
G03B	0	Major interventions on the stomach, oesophagus and duodenum with highly complex intervention or complicating procedure or for specific	3.869	12.7	3	0.666	21	0.218	0.238		
		malignant neoplasm Major interventions on the stomach, oesophagus and duodenum									
G03C	0	except for specific malignant neoplasm  Minor interventions on the small and large intestine with extremely	2.165	6.2	1	0.585	14	0.2	0.219		
G04A G04B	0	severe CC Minor interventions on the small and large intestine	2.963 1.017	14.7	1	0.55 0.536	28 11	0.158 0.124	0.167 0.179		
		Interventions for hernias with complex intensive care									
G09A	0	treatment/complex treatment in intermediate care unit > 130/119 points or vacuum treatment	2.987	12.8	3	0.503	26	0.196	0.18		
G09B	0	Interventions for hernias with extremely severe CC Bilateral interventions for inquinal and femoral hernias with incisional	2.14	10.8	2	0.497	21	0.141	0.161		
G09C	0	hernia, interventions over more than one session or specific abdominal interventions	1.192	4	1	0.287	9	0.105	0.179		
G09D	0	Bilateral interventions for inguinal and femoral hernias Interventions for incisional hernias with graft or specific intervention at	0.747	2.2	1	0.174	4	0.116	0.174		
G09E	0	the same time	0.932	3.3	1	0.221	7	0.101	0.221		
G09F G09G	0	Interventions for incisional hernias or age < 16 years Interventions for inguinal and femoral hernias	0.739 0.714	2.8	1	0.206 0.171	6 5	0.112 0.104	0.206 0.171		
G09H	0	Interventions for hernias, one inpatient day	0.599	1						х	
G10Z	0	Specific interventions on the hepatobiliary system, pancreas, spleen	1.317	4.5	1	0.373	10	0.186	0.233		
G11A	0	Pyloromyotomy or anorectoplasty and reconstruction of the anus and sphincter, age < 10 years	1.72	6.4	1	0.514	10	0.169	0.193		
G11B	0	Pyloromyotomy or anorectoplasty and reconstruction of the anus and sphincter, age > 9 years	0.699	3.4	1	0.24	7	0.159	0.24		
		Other OR procedures on the digestive system with complex OR procedure and severe CC or extremely severe CC or specific									
G12A	0	interventions over more than one session or complex intensive care treatment > 130/119 or complex treatment in intermediate care	2.803	13	3	0.554	26	0.174	0.182		
G12B	0	> 130/184 points Other OR procedures on the digestive system	0.972	4.3	1	0.394	10	0.152	0.246		
G13A	0	Other interventions on the intestine or enterostomy with extremely severe CC or specific diagnosis or complex intensive care treatment	3.827	16.5	4	0.543	30	0.201	0.179		
		> 130/184 points									
G13B	0	Other interventions on the intestine or enterostomy  Complex rectal resection or evisceration of the lesser pelvis or	1.827	8.1	1	0.55	16	0.187	0.149		
G16A	0	intervention for malignant neoplasm or radiotherapy with major abdominal intervention, with severe CC and complex intensive care treatment > 184 points or specific OR procedure over more than one session	4.264	18.4	5	0.481	33	0.164	0.168		х
G16B	0	Complex rectal resection or evisceration of the lesser pelvis or intervention for malignant neoplasm or radiotherapy with major	2.597	8.6	1	0.729	17	0.125	0.197		х
G17A	0	abdominal intervention Other rectal resection without specific intervention with severe CC	2.89	10.3	2	0.59	19	0.21	0.191		
G17B	0	Other rectal resection without specific intervention for malignant	2.05	5.7	1	0.39	10	0.126	0.232		x
G17C	0	neoplasms on the digestive system or specific diagnosis Other rectal resection without specific intervention	1.723	5.7	1	0.471	10	0.12	0.22		
G18A	0	Interventions on the small and large intestine or other intervention on the stomach, oesophagus and duodenum without radiotherapy, with highly complex intervention or complicating diagnosis or procedure or severe CC	2.476	11	2	0.535	22	0.173	0.156		
G18B	0	Interventions on the small and large intestine or other intervention on the stomach, oesophagus and duodenum without radiotherapy	1.597	5.7	1	0.891	11	0.107	0.297		
G19A	0	Other interventions on the stomach, oesophagus and duodenum with complicating procedure or for malignant neoplasm or with extremely	2.376	9.2	2	0.511	19	0.181	0.186		x
		severe CC Other interventions on the stomach, oesophagus and duodenum									
G19B	0	except for malignant neoplasm, with complex intervention or age < 16 years	1.277	3.2	1	0.226	6	0.149	0.226		
G19C	0	Other interventions on the stomach, oesophagus and duodenum except for malignant neoplasm, age > 15 years	1.039	3.3	1	0.264	7	0.119	0.264		
G21A	0	Intervention for adhesions with extremely severe CC or age < 16 years	3.741	15.8	4	0.532	30	0.189	0.188		
G21B	0	Intervention for adhesions with complex intensive care treatment > 119 points or complex treatment in intermediate care unit > 184	3.13	11.2	2	0.691	20	0.132	0.202		
G21C	0	points, age > 15 years	1.454		1	0.383			0.179		
GZIC	0	Intervention for adhesions, age > 15 years  Appendectomy for peritonitis with extremely severe CC or complex	1.454	5.9		0.363	13	0.142	0.179		
G22A	0	intensive care treatment/complex treatment in intermediate care unit newborns/children > 65 points or complex intensive care treatment	2.169	10.3	2	0.527	20	0.166	0.171		
G22B	0	adults > 119 points  Appendectomy for specific peritonitis and age < 16 years	1.307	5.3	1	0.432	10	0.219	0.201		
G22C	0	Appendectomy for peritonitis or extremely severe CC	0.976	4.4	1	0.274	9	0.092	0.171		
G22D G22E	0	Appendectomy Appendectomy, one inpatient day	0.699	2.3	1	0.17	4	0.107	0.17	x	
G26A	0	Other interventions on the anus with complex intervention or age < 16 years	0.589	2.4	1	0.142	4	0.11	0.142		
G26B	0	Other interventions on the anus, age > 15 years	0.581	2.7	1	0.172	6	0.102	0.172		
G29A	0	Other radiotherapy for diseases and disorders of the digestive system with severe CC, more than one inpatient day	1.656	10.1	2	0.526	21	0.166		х	х
G29B	0	Other radiotherapy for diseases and disorders of the digestive system, more than one inpatient day	0.935	5.7	1	0.447	13	0.121		х	х
G33Z	0	Complex OR procedures over more than one session for diseases and disorders of the digestive system	4.023	13.4	3	0.624	23	0.196	0.204		
G35A	0	Complex vacuum treatment for diseases and disorders of the digestive system or complex diagnosis with complex intervention and very severe CC or complex treatment for multidrug-resistant pathogens more than 7 treatment days	8.975	36.5	11	0.515	54	0.238	0.176		
G35B	0	Complex vacuum treatment for diseases and disorders of the digestive system or complex diagnosis with complex intervention	6.37	30.1	9	0.441	48	0.151	0.152		
G37Z	0	Multivisceral intervention for diseases and disorders of the digestive system or complex intensive care treatment > 196/360 points or specific complex intensive care treatment with complex treatment in	4.877	15	4	0.718	28	0.254		x	х
G38A	0	intermediate care unit points or specific intraoperative therapy.  Complex intensive care treatment/complex treatment in intermediate care unit > 196/184 points with vacuum treatment and specific surgical intervention for diseases and disorders of the digestive	7.562	26.6	7	0.699	44	0.212		x	x
G38B	0	system  Complex intensive care treatment/complex treatment in intermediate care unit > 196/184 points or vacuum treatment with specific surgical intervention for diseases and disorders of the digestive system	5.924	21.7	6	0.646	39	0.215		x	х
G38C	0	Complicating procedures with specific surgical intervention for	4.226	16.4	4	0.638	31	0.204		x	x
G40Z	A	diseases and disorders of the digestive system  Complicating procedures with specific endoscopic intervention for	3.017	14.3	3	0.702	28	0.204		x	^
J+02		diseases and disorders of the digestive system  Complex gastroscopy or colonoscopy with extremely severe CC or	0.017	17.3	,	0.702	20	0.203			
G46A	А	complicating procedure for severe disease, or specific diagnosis and age < 16 years, or complex gastroscopy/colonoscopy with severe CC or specific endoscopic intervention with extremely severe CC, age < 16 years or intervention over more than one session, more than one inpatient day	1.591	9.8	2	0.488	21	0.158	0.177		
G46B	А	than one inpatient cary Complex gasterospylcolonoscopy with severe CC or specific endoscopic intervention with extremely severe CC or challenging endoscopic intervention, or age < 16 years or severe CC or dialysis or complex intensive care treatment > 59 points, more than one inpatient day	1.021	6.6	1	0.462	15	0.151	0.173		

					Minimum le	ngth of stay	Maximum	length of stay			
DRG 9)	Partiti on	Designation <sup>e) 2) a)</sup>	Cost weight with costs of system use (CSU)	Mean length of stay 1)	First day with reduction <sup>2) 5)</sup>	Cost weight/day	First day with additional fee 3)	Cost weight/day	External transfer reduction/day (cost weight)	Transfer flat rate per case	Not counted as readmission 4)
1	2	3	4	5	6	7	8	9	10	11	12
G46C	Α	Gastroscopy or colonoscopy with specific intervention or inflammatory bowel disease or complicating procedure or interventions over more than one session or status post organ transplantation, more than one inpatient day	0.823	5.7	1	0.371	12	0.115	0.173		
G46D	Α	Gastroscopy or colonoscopy or endoscopic anti-reflux procedures, more than one inpatient day	0.626	3.9	1	0.268	9	0.104	0.268		
G60A	М	Malignant neoplasm of the digestive system, with specific procedure or extremely severe CC and more than one inpatient day	1.584	10.9	2	0.499	23	0.145	0.162		х
G60B	М	Malignant neoplasm of the digestive system	0.704	5.2	1	0.319	13	0.112	0.149		х
G64A	М	Inflammatory bowel disease with severe CC and more than one inpatient day	1.705	12.2	3	0.404	24	0.139	0.144		
G64B	М	Inflammatory bowel disease, age < 18 years Inflammatory bowel disease, more than one inpatient day, age > 17	0.691	4.6	1	0.329	11	0.171	0.206		
G64C	М	Ulcer disease with gastrointestinal bleeding or enterocolitis, more	0.518	4.4	1	0.231	9	0.081	0.145		
G67A	М	than one inpatient day and extremely severe CC, or dialysis or age <3 years or paraplegia/tetraplegia, or complex intensive care treatment > 130/119 points or complex treatment in intermediate care unit > 196/184 points	1.376	9.5	2	0.433	19	0.141	0.157		
G67B	М	Various diseases of the digestive system or gastrointestinal bleeding or ulcer disease, with extremely severe CC or more than one inpatient day with dialysis or paraplegia/tetraplegia	0.925	6.6	1	0.425	14	0.14	0.159		
G67C	М	Various diseases of the digestive system or gastrointestinal bleeding or ulcer disease with severe CC or coagulation disorder or specific diagnoses	0.751	5.8	1	0.341	13	0.124	0.159		
G67D	М	Various diseases of the digestive system or gastrointestinal bleeding or ulcer disease, more than one inpatient day	0.45	3.5	1	0.197	7	0.119	0.197		
G70A	М	Other severe diseases of the digestive system or cutaneoperitoneal catheter with extremely severe CC and more than one inpatient day	1.602	11.2	2	0.505	23	0.141	0.147		
G70B	М	Other severe diseases of the digestive system or cutaneoperitoneal catheter, age < 16 years	1.165	5.8	1	0.528	13	0.188	0.246		
G70C	М	Other severe diseases of the digestive system or cutaneoperitoneal catheter, age > 15 years	0.78	6.1	1	0.353	14	0.126	0.132		
G71A	М	Other moderately severe diseases of the digestive system with	0.845	6.3	1	0.383	14	0.135	0.144		
G71B	М	severe CC and more than one inpatient day, or age < 16 years  Other moderately severe diseases of the digestive system, age > 15	0.512	3.8	1	0.215	8	0.108	0.215		
G72A	М	years, more than one inpatient day  Other mild to moderate diseases of the digestive system or abdominal pain or mesenteric lymphadenitis with specific intervention	0.801	6.2	1	0.364	14	0.131	0.136		
G72B	М	or severe CC Other mild to moderate diseases of the digestive system or abdominal pain or mesenteric lymphadenitis, more than one inpatient	0.463	3.5	1	0.199	7	0.087	0.199		
G86A	М	day Diseases and disorders of the digestive system with inflammatory	2.451	1	-		-			x	
		bowel diseases and specific procedure, one inpatient day Diseases and disorders of the digestive system with complex	2.101	·							
G86B	М	intensive care treatment/complex treatment in intermediate care unit newborns/children > 65 points or complex intensive care treatment adults > 59 points, one inpatient day Diseases and disorders of the digestive system with complicating	0.672	1						x	
G86C	М	diagnosis or paraplegia/tetraplegia or specific intervention, one inpatient day	0.386	1						х	
G86D G87A	M	Diseases and disorders of the digestive system, one inpatient day  Diseases and disorders of the digestive system with complex intensive care treatment > 130/184 points or complex treatment in	0.262 2.345	10.3	2	0.722	21	0.229		×	×
G87B	M	intermediate care unit > 196/184 points  Diseases and disorders of the digestive system with complex intensive care treatment/complex treatment in intermediate care unit	1.544	7.3	1	0.621	15	0.213		x	x
		adults > 119 points or complex treatment in intermediate care unit newborns/children > 130 points									
MDC 07: Dis	eases	and disorders of the hepatobiliary system and pancreas Interventions on the pancreas with vacuum treatment or complex		l		Ī	I				
H01A	0	intensive care treatment > 196/360 points or specific complex intensive care treatment and complex treatment in intermediate care unit points	8.449	25.9	7	0.789	42	0.248		х	x
H01B	0	Interventions on the pancreas and liver with complex intervention or extremely severe CC or age < 1 year	4.977	16.8	4	0.699	31	0.227		х	х
H01C	0	Interventions on the pancreas and liver and portosystemic shunt surgery with major intervention or radiotherapy, age > 0 years	3.161	9.8	2	0.657	19	0.147		х	х
H05A	0	Laparotomy and moderately complex interventions on the gallbladder and bile duct with complex intervention	2.858	10.7	2	0.585	21	0.17	0.19		
H05B	0	Laparotomy and moderately complex interventions on the gallbladder and bile duct	1.559	6	1	0.447	13	0.161	0.167		
H06Z	0	Other OR procedures on the hepatobiliary system and pancreas	0.988	3.7	1	0.398	10	0.27	0.398		
H07A	0	Specific cholecystectomy with malignant neoplasm or ERCP or age < 12 years or extremely severe CC or complex intensive care treatment > 119 points  Specific cholecystectomy with age > 11 years or complex intensive	2.397	9.4	2	0.525	18	0.188	0.191		
H07B	0	care treatment newborns/children > 130 points, or cholecystectomy for malignant neoplasm or ERCP or age < 12 years or extremely severe CC or complex treatment in intermediate care unit adults > 119 points	1.369	6.3	1	0.414	13	0.168	0.155		
H07C	0	Cholecystectomy for acute cholecystitis or peritoneal adhesiolysis, age > 11 years	0.903	3.5	1	0.261	7	0.136	0.261		
H07D	0	Cholecystectomy, age > 11 years Interventions on the pancreas and liver and portosystemic shunt	0.675	2.4	1	0.101	4	0.109	0.101		
H09A	0	surgery with extremely severe CC or specific diagnosis  Interventions on the pancreas and liver and portosystemic shunt	2.892	11.8	2	0.701	24	0.2	0.205		x
H09B	0	surgery for malignant neoplasm or with specific pancreas intervention Interventions on the pancreas and liver and portosystemic shunt	2.119	6.7	1	0.639	13	0.143	0.24		х
H09C		surgery Various interventions on the hepatobiliary system with extremely	1.29	4.4	1		10	0.127			
H12A H12B	0	severe CC or complex intervention  Various interventions on the hepatobiliary system	3.488 1.14	17.2 3.9	1	0.546 0.403	32 8	0.161 0.125	0.169		
H12B	0	Other radiotherapy for diseases and disorders of the hepatobiliary	1.14	9.2	2	0.403	22	0.125	0.403		x
H33Z	0	system and pancreas  Complex OR procedures over more than one session or complex vacuum treatment or vacuum treatment with specific intervention or intervention on the pancreas or liver with complex intensive care treatment > 196/360 points or specific complex intensive care	6.43	20.9	5	0.793	36	0.248	0.248		
Н37А	0	treatment with complex treatment in intermediate care unit points Diseases and disorders of the hepatobiliary system and pancreas with complex intensive care treatment/complex treatment in intermediate care unit > 196/360 points or complex intensive care treatment > 130/184 points or complex treatment in intermediate care unit adults > 184 points with OR procedure, or complex	4.146	16.9	4	0.682	32	0.224		x	x
H37B	0	treatment for liver cirrhosis from 21 treatment days.  Diseases and disorders of the hepatobiliary system and pancreas with complex intensive care treatment > 130/184 points or complex treatment in intermediate care unit adults > 184 points or complex treatment for liver cirrhosis from 7 treatment days	2.664	13.1	3	0.632	25	0.204		х	x
H41A	А	ERCP with extremely severe CC or challenging situations due to malignant neoplasm or complex intensive care treatment/complex	2.489	14.3	3	0.562	28	0.167	0.17		x
H41B	Α	treatment in intermediate care unit adults > 119 points  ERCP with severe CC or photodynamic therapy or endoscopic interventions on the open place.	1.45	8.4	1	0.832	18	0.162	0.139		x
H41C	Α	interventions on the oesophaqus  ERCP for malignant neoplasm or age < 16 years	0.944	4.3	1	0.374	10	0.145	0.234		x
H41D	Α	ERCP, age > 15 years Liver cirrhosis with extremely severe CC and more than one inpatient	0.843	4.5	1	0.368	10	0.136	0.23		x
H60A	M	day, or age < 16 years	1.74	12.7	3	0.412	26	0.136	0.147		
H60B	М	Liver cirrhosis, age > 15 years	0.88	6.9	1	0.408	15	0.124	0.153		

					Minimum le	ngth of stay	Maximum	length of stay			
DRG <sup>9)</sup>	Partiti on	Designation 6) 7) 6)	Cost weight with costs of system use (CSU)	Mean length of stay 1)	First day with reduction <sup>2) 5)</sup>	Cost weight/day	First day with additional fee 3)	Cost weight/day	External transfer reduction/day (cost weight)	Transfer flat rate per case	Not counted as readmission 4)
1	2	3	4	5	6	7	8	9	10	11	12
H61A	М	Malignant neoplasm of the hepatobiliary system and pancreas, more than one inpatient day with extremely severe CC or specific procedure, or evaluation stay before liver transplantation or age < 16 years or complicating procedure or challenging situations due to malignant neoplasms or endoscopic interventions more than one inpatient day	1.269	8.9	1	0.598	20	0.162	0.162		x
H61B	М	Malignant neoplasm of the hepatobiliary system and pancreas, age > 15 years	0.722	5.6	1	0.332	13	0.131	0.155		х
H62A	М	Diseases of the pancreas except for malignant neoplasm with extremely severe CC and more than one inpatient day, or severe CC with specific diagnosis or cerebral palsy	1.729	12.8	3	0.41	26	0.138	0.146		
H62B	M	Diseases of the pancreas except for malignant neoplasm with severe CC	0.937	7	1	0.431	15	0.13	0.135		
H62C H63A	М	Diseases of the pancreas except for malignant neoplasm  Diseases of the liver except for malignant neoplasm, liver cirrhosis and specific non-infectious hepatitis more than one inpatient day with complicating procedure or extremely severe CC with evaluation stay before liver transplantation or very severe CC or complex diagnoses	0.567 2.955	17.1	4	0.25	33	0.109	0.156		
H63B	М	Diseases of the liver except for malignant neoplasm, liver cirrhosis and specific non-infectious hepatitis more than one inpatient day with complicating procedure or extremely severe CC	2.067	13.7	3	0.492	29	0.149	0.161		
H63C	М	Diseases of the liver except for malignant neoplasm, liver cirrhosis and specific non-infectious hepatitis or evaluation stay before liver transplantation, age < 16 years	0.891	3.3	1	0.403	7	0.259	0.403		
H63D	М	Diseases of the liver except for malignant neoplasm, liver cirrhosis and specific non-infectious hepatitis or evaluation stay before liver transplantation, age > 15 years	0.8	6.1	1	0.369	14	0.091	0.139		
H64A	М	Diseases of the gallbladder and bile duct with complicating procedure or age < 16 years or endoscopic interventions, or severe CC with paraplegia/tetraplegia	1.391	7.7	1	0.64	19	0.199	0.201		
H64B	М	Diseases of the gallbladder and bile duct with severe CC, age > 15 years	1.013	7.7	1	0.471	16	0.134	0.148		<u> </u>
H64C	M	Diseases of the gallbladder and bile duct, age > 15 years Diseases and disorders of the hepatobiliary system and pancreas,	0.547	4.3	1	0.242	9	0.109	0.151		
H86A	М	biseases and disorders of the hepatobiliary system and particles, age < 18 years or ERCP or evaluation for liver transplant, one inpatient day  Diseases and disorders of the hepatobiliary system and pancreas	0.493	1						x	
H86B H87Z	M	Diseases and disorders of the hepatobiliary system and panciess and age > 17 years, one inpatient day  Diseases and disorders of the hepatobiliary system and pancreas with complex intensive care treatment/complex treatment in	0.295	9.6	2	0.561	21	0.187		x x	x
		intermediate care unit > 130/119 points		9.0		0.561	21	0.107		x	*
102A	0	and disorders of the musculoskeletal system and connective tiss. Very challenging lissue or skin graft, except on the hand or specific OR procedure over four sessions or microvascular intervention, with complicating procedure, intervention at more than one site or with severe soft tissue damage or complex intensive care treatment/complex treatment in intermediate care unit > 196/184 points. with very severe CC	10.387	39.6	12	0.505	57	0.22	0.173		
I02B	0	Very challenging tissue or skin graft, except on the hand or specific OR procedure over four sessions or microvascular intervention, with complicating procedure, intervention at more than one site or with severe soft tissue damage, with extremely severe CC or complex intensive care treatment/complex treatment in intermediate care unit > 196/134 points	7.173	29.7	8	0.48	47	0.198	0.154		
102C	0	Very challenging tissue or skin graft, except on the hand or specific OR procedure over four sessions or microvascular intervention, or intervention at more than one site or severe soft tissue damage with extremely severe CC	4.207	17.4	4	0.465	33	0.138	0.144		
103A	0	Revision or replacement of the hip with complicating diagnosis and intervention over two sessions or very severe CC	6.254	27.8	8	0.48	45	0.207	0.165		
103B	0	Revision or replacement of the hip with complicating diagnosis or arthrodesis or age < 16 years or bilateral interventions or more than one major intervention involving joints of the lower extremity with complex intervention	2.652	11.5	2	0.498	24	0.169	0.145		
104A	0	Revision or replacement of the knee with complicating diagnosis and intervention over two sessions or very severe CC  Revision or replacement of the knee with complicating diagnosis or	6.579	28.4	8	0.468	45	0.156	0.155		
104B	0	arthrodesis and specific prosthesis replacement or extremely severe	3.038	8.7	1	0.627	18	0.111	0.17		
104C	0	Revision or replacement of the knee with complicating diagnosis or arthrodesis	2.576	13.4	3	0.435	26	0.132	0.143		
105A	0	Joint replacement or revision involving the upper extremities with extremely severe CC or specific bilateral intervention or intervention at more than one site	3.586	13.9	3	0.477	27	0.147	0.156		
105B	0	Joint replacement or revision involving the upper extremities with complex intervention	1.711	4.3	1	0.317	8	0.111	0.198		
105C	0	Joint replacement or revision involving the upper extremities Highly complex interventions on the spinal column or complex OR procedure over more than one session or complicating procedures or complex intensive care treatment/complex treatment in intermediate care unit > 196/300 points or complex intervention with	7.513	3.8	4	0.288	35	0.116	0.288		
106B	0	ver severe CC  Complex interventions on the spinal column with extremely severe  CC and age < 16 years or very complex spinal column interventions or complex intensive care treatment/complex treatment in intermediate care unit > 184 points or congenital spine deformities	5.765	13.1	3	0.682	24	0.217	0.223		
106C	0	Complex interventions on the spinal column with vertebral body replacement from 2 implants or challenging intervention from dorsal and ventral side on the spinal column	4.578	11.9	2	0.68	22	0.178	0.199		
107A	0	Amputation with extremely severe CC or specific procedure	3.515	20.1	5	0.476	38	0.142	0.149		
107B 108A	0	Amputation  Other interventions on the hip and femur with extremely severe CC and multiple interventions or complex procedure or complex diagnosis, or specific cerebral palsy or specific intervention with microvascular anastomosis or complex intensive care treatment > 130/184 points or complex treatment for multidrug-resistant	2.366 3.209	14.8	3	0.445	25	0.127	0.135	x	
108B	0	pathogens from 7 treatment days  Other interventions on the hip and femur with multiple interventions or complex procedure or complex diagnosis or specific intervention for mailformation or complex treatment in intermediate care unit > 196/184 points or extremely severe CC	2.215	9.1	2	0.447	19	0.171		x	
108C	0	Other interventions on the hip and femur  Complex spinal fusion of a position correction or stabilisation from 12	1.528	6.3	1	0.769	13	0.146		х	
109A 109B	0	segments or complex intensive care treatment newborns/children > 130 points Complex spinal fusion with extremely severe CC or complex intervention or vertebral body replacement from 4 implants with specific intervention or complex intensive care treatment/complex treatment in intermediate care unit > 130/148 points or intervention at	5.027 4.252	9.2	3	0.593	17 25	0.201	0.216		
109C	0	several sites Challenging spinal fusion or spinal fusion on the ventral and dorsal side or specific OR procedures over more than one session or	3.223	7	1	0.703	11	0.202	0.221		
109D	0	congenital spine deformities, age < 16 years Challenging spinal fusion or spinal fusion on the ventral and dorsal side or specific OR procedures over more than one session and age	2.801	7.6	1	0.575	15	0.166	0.181		
109E	0	> 15 years, or age < 16 years or complicating diagnosis Specific spinal fusion	1.945	5.4	1	0.415	10	0.163	0.194		
109F	0	Spinal fusion or vertebral body replacement from 2 implants  Other interventions on the spinal column or halo traction with	1.332	3.4	1	0.312	7	0.137	0.312		
I10A	0	extremely severe CC or intervention at more than one site or specific intervention or complex intensive care treatment/complex treatment in intermediate care unit > 196/184 points	3.095	12.1	3	0.43	25	0.188	0.153		

					Minimum le	ength of stay	Maximum	length of stay			
DRG <sup>9)</sup>	Partiti on	Designation 63 77 83	Cost weight with costs of system use (CSU)	Mean length of stay 1)	First day with reduction <sup>2) s)</sup>	Cost weight/day	First day with additional fee 3)	Cost weight/day	External transfer reduction/day (cost weight)	Transfer flat rate per case	Not counted as readmission 4)
1	2	3 Other interventions on the spinal column with specific intervention or	4	5	6	7	8	9	10	11	12
110B	0	halo traction or age < 16 years or complex diagnosis or specific OR procedure over more than one session or complex intensive care treatment adults > 119 points	1.449	6.1	1	0.84	14	0.165	0.21		
I10C		Other interventions on the spinal column, age > 15 years	0.861	3.5	1	0.265	7	0.153	0.265		
I11Z	0	Osteotomy of extremities or specific intervention for malformation  Bone and joint infection/inflammation with various interventions on	1.205	3	1	0.269	6	0.192	0.269		
112A	0	the musculoskeletal system and connective tissue with extremely severe CC or complex intensive care treatment/complex treatment in intermediate care unit adults > 119 points	4.195	18.5	5	0.49	35	0.184	0.171		
I12B	0	Bone and joint infection/inflammation with various interventions on the musculoskeletal system and connective tissue with severe CC or revision of the knee or vacuum treatment	2.442	12.7	3	0.404	26	0.158	0.144		
I12C	0	Bone and joint infection/inflammation with various interventions on the musculoskeletal system and connective tissue	1.264	7	1	0.757	16	0.144	0.151		
I13A	0	Interventions on the humerus, tibia, fibula and ankle, with multiple interventions, specific bilateral intervention, complex procedure/diagnosis, with intervention at more than one site or specific procedure or complex intensive care treatment/complex treatment in intermediate care unit > 196/184 points	2.586	11.7	2	0.436	22	0.172		х	
113B	0	Interventions on the humerus, tibia, fibula and ankle, with multiple interventions, specific bilateral intervention or complex procedure/diagnosis	1.43	6.3	1	0.755	14	0.154		x	
113C	0	Interventions on the humerus, tibia, fibula and ankle, age < 16 years	0.831	2.6	1	0.267	5	0.219	0.267		
I13D	0	Interventions on the humerus, tibia, fibula and ankle, age > 15 years	1.109	4.4	1	0.484	10	0.134	0.303		
I14A	0	Revision of an amputation stump with extremely severe CC or vacuum treatment or specific diagnosis	2.513	15.6	4	0.414	32	0.132	0.146		
I14B	0	Revision of an amputation stump	1.173	7.4	1	0.411	17	0.119	0.129		
I15A	0	Surgery on the neurocranium/viscerocranium with specific process, age < 16 years	2.112	4.5	1	0.487	9	0.216	0.304		
I15B I17Z	0	Surgery on the neurocranium/viscerocranium, age > 15 years Surgery on the viscerocranium	1.481 1.176	5 3.4	1	0.401 0.261	12 8	0.171 0.169	0.187 0.261		
117Z		Arthroscopy including biopsy or other interventions on bones or joints, with specific intervention or age < 16 years, more than one	0.773	2.6	1	0.261	5	0.169	0.261		
I18B	0	inpatient day  Arthroscopy including biopsy or other interventions on bones or joints, age > 15 years, more than one inpatient day	0.712	2.8	1	0.206	6	0.115	0.206		
I18C	0	Arthroscopy including biopsy or other interventions on bones or lights, one inpatient day	0.529	1						х	
I19Z	0	Implantation of an internal limb lengthening device	2.009	4.8	1	0.376	10	0.166		х	
120A	0	Interventions on the foot with more than one highly complex intervention or with highly complex intervention with complex diagnosis or multiple interventions over one session or extremely severe CC or specific diagnosis, more than one inpatient day	1.707	5.7	1	0.377	13	0.172	0.176		
120B	0	Interventions on the foot with more than one complex intervention or with highly complex intervention with complex diagnosis or specific processes, more than one inpatient day, age < 16 years	1.328	3.6	1	0.327	7	0.191	0.327		
120C	0	Interventions on the foot with more than one complex intervention or with highly complex intervention with complex diagnosis, age > 15 years, or with complex intervention with complex diagnosis, or osteomyelitis/arthritis, age < 16 years, more than one inpatient day	0.973	3.9	1	0.251	9	0.144	0.251		
120D	0	Interventions on the foot, with complex intervention or soft tissue damage or intervention at more than one site, age > 15 years, or specific intervention or complicating diagnosis, more than one inpatient day	0.75	2.6	1	0.2	5	0.112	0.2		
120E	0	Interventions on the foot, more than one inpatient day, age < 16 years	0.732	2.4	1	0.192	4	0.17	0.192		
120F	0	Interventions on the foot, more than one inpatient day, age > 15 years	0.652	2.4	1	0.182	4	0.114	0.182		
120G	0	Interventions on the foot, one inpatient day	0.516	1						Х	
I21A	0	Specific interventions on the hip and femur with complex intervention or specific processes	1.064	2.4	1	0.275	4	0.243	0.275		
121B 122Z	0	Specific interventions on the hip and femur Tissue/skin graft, except on the hand with severe CC or complicating procedure or intervention at more than one site or severe soft tissue	0.838 2.841	2.5	3	0.273	5 26	0.204	0.273		
123A	0	damage Specific interventions except on the hip and femur, with complicating	1.16	3.8	1	0.603	10	0.208	0.603		
123B	0	intervention or age < 12 years or extremely severe CC Specific interventions except on the hip and femur, age > 11 years		2.8	1	0.249	5				
123D		and specific interventions on the spinal column or the pelvis  Specific interventions except on the hip and femur, age > 11 years	0.76 0.647	2.3	1	0.249	4	0.152 0.104	0.249 0.166		
127A	0	Interventions on soft tissue with extremely severe CC and more than one inpatient day or vacuum treatment or specific diagnosis with severe CC or specific procedure	3.691	17.5	4	0.509	33	0.168		x	
127B	0	Interventions on soft tissue with specific interventions at the same time or age < 16 years	0.929	3	1	0.348	6	0.241	0.348		
127C	0	Interventions on soft tissue for malignant neoplasm or complex intervention, age > 15 years	0.821	3.1	1	0.248	6	0.109	0.248		
127D	0	Interventions on soft tissue, age > 15 years	0.683	2.9	1	0.192	6	0.102	0.192		
128A 128B	0	Complex interventions on bones or connective tissue  Moderately complex interventions on bones or connective tissue	3.072 1.416	13.8 7	3 1	0.54 0.465	28 18	0.16 0.148	0.177 0.146		
128C	0	Other intervention on bones or connective tissue  Complex interventions on the scapula, clavicle, ribs or shoulder with	1.112	6.7	1	0.629	16	0.141	0.157		
129A 129B	0	specific intervention or complex intensive care treatment newborns/children > 130 points Complex interventions on the scapula, clavicle, ribs or shoulder with plastic reconstruction or specific diagnosis or complex in	0.998	2.5	1	0.235	4	0.137	0.235		
		treatment adults > 184 points									
129C 130A	0	Complex interventions on the scapula, clavicle, ribs or shoulder Complex interventions on the knee with challenging intervention or	0.799 1.92	2.4 5.4	1	0.183	13	0.123	0.183		
130A	0	intervention over more than one session  Complex interventions on the knee, age < 18 years	0.998	2.7	1	0.363	5	0.17	0.179		
130C	0	Complex interventions on the knee, age > 17 years	0.969	2.8	1	0.206	5	0.127	0.206		
131A	0	Complex interventions on the elbow and forearm with bilateral intervention or intervention over more than one session or intervention at more than one site or specific intervention or specific processes or complex intensive care treatment/complex treatment in	1.693	5.7	1	0.646	13	0.183	0.302		
I31B	0	intermediate care unit > 196/184 points  Complex interventions on the elbow and forearm	0.823	2.6	1	0.205	5	0.145	0.205		
132A	0	Interventions on the wrist and hand with complex intervention over more than one session and complex treatment on the hand from 7 or more treatment days or intervention at more than one site, more	2.329	9.2	2	0.376	17	0.127	0.137		
132B	0	than one inpatient day interventions on the wrist and hand with complex intervention over more than one session or wrist replacement, more than one inpatient day	1.723	7.2	1	0.431	17	0.126	0.135		
132C	0	Interventions on the wrist and hand with complex intervention or complicating diagnosis or intervention at more than one site or age < 6 years, more than one inpatient day	0.843	2.5	1	0.191	5	0.118	0.191		
I32D	0	Interventions on the wrist and hand, age > 5 years and more than one inpatient day	0.641	2.3	1	0.164	4	0.108	0.164		
132E	0	Interventions on the wrist and hand and specific processes, one inpatient day	0.953	1						x	
132F	0	Interventions on the wrist and hand, one inpatient day	0.568	1		* ***				х	
136Z	0	Bilateral implantation of an endoprosthesis involving the hip or knee Implantation of an endoprosthesis involving the knee with extremely	2.167	6.3	1	0.417	12	0.14	0.156		
143A	0	severe CC or specific prosthesis replacement or complex intensive care treatment > 196/184 points	2.683	7	1	0.554	14	0.171	0.174		

					Minimum le	ength of stay	Maximum	length of stay			
DRG <sup>9)</sup>	Partiti on	Designation <sup>e) 2) a)</sup>	Cost weight with costs of system use (CSU)	Mean length of stay 1)	First day with reduction <sup>2) 5)</sup>	Cost weight/day	First day with additional fee (9)	Cost weight/day	External transfer reduction/day (cost weight)	Transfer flat rate per case	Not counted as readmission 4)
1	2	3	4	5	6	7	8	9	10	11	12
143B	0	Implantation of an endoprosthesis involving the knee or prosthesis replacement or complex treatment in intermediate care unit	2.062	5.5	1	0.418	10	0.111	0.195		
143C	0	> 196/184 points Implantation of an endoprosthesis involving the knee	1.585	5	1	0.366	8	0.107	0.171		
144A	0	Implantation associated with replacement of a knee prosthesis component	1.855	5.2	1	0.397	9	0.112	0.185		
144B	0	Implantation of a knee prosthesis component or removal of an endoprosthesis involving the knee	1.217	4	1	0.304	7	0.11	0.19		
145A	0	Implantation and replacement of an intervertebral disc endoprosthesis, more than one segment	2.095	3.6	1	0.347	7	0.139	0.347		
145B	0	Implantation and replacement of an intervertebral disc endoprosthesis, fewer than 2 segments	1.413	2.9	1	0.29	5	0.146	0.29		
146A	0	Implantation, replacement or revision of a hip endoprosthesis with complex intervention and extremely severe CC or intervention at more than one site or complex intensive care treatment > 196/184 points	3.476	12	3	0.605	23	0.216	0.216		
146B	0	Implantation, replacement or revision of a hip endoprosthesis with extremely severe CC or intervention at more than one site or specific diagnosis with complex intervention or complex treatment in intermediate care unit > 196/184 points	2.523	9.7	2	0.492	19	0.198	0.179		
146C 150Z	0	Implantation, replacement or revision of a hip endoprosthesis  Challenging tissue or skin graft, except on the hand	1.351	4.6 6.8	1	0.297 0.455	9 16	0.147 0.146	0.185 0.171		
		Radiotherapy for diseases and disorders of the musculoskeletal system and connective tissue, fewer than 9 radiation sessions, with									
154A	0	extremely severe CC or complicating procedures, more than one inpatient day  Radiotherapy for diseases and disorders of the musculoskeletal	2.789	15.4		0.51	28	0.164	0.18		х
154B	0	system and connective tissue, fewer than 9 radiation sessions and more than one inpatient day	1.24	7.7	1	0.572	18	0.162	0.18		х
159Z	0	Other interventions on the lower extremities and humerus or moderately complex interventions on the elbow and forearm	0.705	2.4	1	0.188	4	0.118	0.188		
I60A	M	Fractures of the pelvis, femoral neck and femur with parapleqia/tetrapleqia or age < 3 years or extremely severe CC	1.1	7.6	1	0.485	18	0.139	0.152		
160B	М	Fractures of the pelvis, femoral neck and femur, age > 2 years Diseases and disorders of the musculoskeletal system and	0.712	6.1	1	0.326	13	0.114	0.122		
I61A	М	connective tissue with extremely severe CC or complex chemotherapy or age < 16 years or paraplegia/tetraplegia and one inpatient day Diseases and disorders of the musculoskeletal system and	0.34	1						x	
I61B I64A	M	Osteomyelitis, age < 16 years	0.272	1 4.9	1	0.383	9	0.164		x x	
164B	M	Osteomyelitis, age > 15 years	1.04	8.9	1	0.471	19	0.122	0.128	Ŷ	
I65A	М	Malignant neoplasm of the connective tissue including pathological fracture, age < 16 years or with extremely severe CC or with highly	0.947	4.3	1	0.46	9	0.233	0.288		x
I65B	М	complex chemotherapy or paraplegia/tetraplegia Malignant neoplasm of the connective tissue including pathological	0.785	5.6	1	0.367	13	0.14	0.171		x
166A	М	fracture, age > 15 years Diseases of the connective tissue with extremely severe CC or	2.146	12.7	3	0.513	27	0.168	0.183		
166B	М	evaluation for lung transplantation or specific procedure Diseases of the connective tissue, age < 16 years	1.073	4.8	1	0.511	10	0.223	0.319		
166C	М	Diseases of the connective tissue, age > 15 years  Non-surgically treated diseases and injuries in the spinal column area	0.795	5.7	1	0.376	13	0.128	0.175		
168A	М	with extremely severe CC, or discitis or infectious spondylitis  Non-surgically treated diseases and injuries in the spinal column area	2.223	15.6	4	0.424	30	0.135	0.15		
168B	М	with severe CC or parapleqia/tetrapleqia  Non-surgically treated diseases and injuries in the spinal column	1.094	9.1	2	0.339	19	0.12	0.123		
168C	М	Area, age < 16 years  Non-surgically treated diseases and injuries in the spinal column	0.519	2.7	1	0.231	5	0.178	0.231		
168D 169A	M M	area, age > 15 years  Bone diseases and arthropathies with severe CC	0.573 1.243	5 10.3	2	0.256	12	0.109 0.119	0.12 0.126		
169B	M	Bone diseases and arthropathies, age < 16 years	0.673	3.8	1	0.297	9	0.174	0.120		
169C	М	Bone diseases and arthropathies, age > 15 years  Muscle and tendon diseases or sprain, strain with extremely severe	0.664	5.7	1	0.3	13	0.103	0.14		
171A	М	CC or dislocation of the hip, pelvis and thigh or paraplegia/tetraplegia, age < 16 years	0.626	3.9	1	0.257	9	0.153	0.257		
171B	М	Muscle and tendon diseases or sprain, strain, age > 15 years	0.553	4.4	1	0.239	10	0.12	0.149		
172Z 173A	M	Inflammation of tendons, muscles and bursae with severe CC Follow-up treatment for diseases of the connective tissue with severe	1.147	8.9 11.7	2	0.523	19 26	0.131 0.129	0.142		
173B	М	CC or prosthesis adjustment Follow-up treatment for diseases of the connective tissue	0.611	4.8	1	0.253	11	0.1	0.158		
174A	М	Injuries of the forearm, wrist, hand and foot with severe CC	0.916	7.2	1	0.418	15	0.118	0.131		
174B 175A	M M	Injuries of the forearm, wrist, hand and foot Severe injuries of the extremities with severe CC	0.528 1.163	3.9 9.1	2	0.218 0.361	9 18	0.086 0.124	0.218 0.131		
175B	М	Severe injuries of the extremities or inflammation of tendons, muscles and bursae, age < 16 years	0.546	2.8	1	0.235	6	0.174	0.235		
175C	М	Severe injuries of the extremities or inflammation of tendons, muscles and bursae, age > 15 years	0.565	4.6	1	0.243	10	0.103	0.152		
176A	М	Other diseases of the connective tissue with severe CC or age < 16	1.314	9.3	2	0.4	21	0.136	0.145		
176B	М	Other diseases of the connective tissue, age > 15 years	0.719	5.2	1	0.306	12	0.086	0.143		
177A	М	Mild to moderate injuries of the extremities with parapleqia/tetraplegia or age < 16 years	0.541	2.7	1	0.215	5	0.175	0.215		
177B 179Z	M	Mild to moderate injuries of the extremities, age > 15 years Fibromyalgia	0.588 0.598	4.6 5.1	1	0.255 0.277	11 12	0.119 0.115	0.159 0.129		
187A	М	Diseases and disorders of the musculoskeletal system and connective tissue with extremely severe CC or complex intensive care treatment/complex treatment in intermediate care unit pesidartic > 196 points or complex intensive care treatment > 361 points or specific complex intensive care treatment with complex treatment in intermediate care unit points	3.511	16.1	4	0.685	31	0.23		x	х
187B	М	Diseases and disorders of the musculoskeletal system and connective tissue with complex intensive care treatment/complex treatment in intermediate care unit > 184 points	2.741	12.8	3	0.634	25	0.199		х	х
195A	0	Implantation of a tumour endoprosthesis or complex procedure over more than one session, with complex intensive care treatment/complex treatment in intermediate care unit > 196/184 points and complex OR procedure or specific OR procedure over more than one session	5.535	17.5	4	0.74	33	0.223	0.229		
195B	0	Implantation of a tumour endoprosthesis or complex procedure over more than one session	4.708	16.7	4	0.483	32	0.188	0.159		
197A	Α	Complex rheumatological treatment for diseases and disorders of the musculoskeletal system and connective tissue, from 14 treatment days Complex rheumatological treatment for diseases and disorders of	0.911	14.1			16	0.065	0.07		
197B	Α	the musculoskeletal system and connective tissue, from 7 to 13 treatment days	0.733	7.7			11	0.066	0.12		
198Z	0	Complex vacuum treatment for diseases and disorders of the musculoskeletal system and connective tissue	5.888	28.5	8	0.441	46	0.189		х	
MDC 09: Dis	eases	and disorders of the skin, subcutaneous tissue and breast		i T		1	1	I I	I I	I I	
J01A	0	Tissue graft with microvascular anastomosis for malignant diseases of the skin, subcutaneous tissue and breast with bilateral procedure	3.494	6.6	1	0.779	11	0.246	0.292		x
J01B	0	or complex intervention Tissue graft with microvascular anastomosis for malignant diseases	2.699	6.2	1	0.624	10	0.21	0.234		x
J02A	0	of the skin, subcutaneous tissue and breast Skin graft, flap, extensive lymphadenectomy, tissue graft with microvascular anastomosis with extremely severe CC or intervention	4.503	23.2	6	0.437	41	0.181	0.138		
J02A J02B	0	over more than one session or complex vacuum treatment or brachytherapy Skin graft, flap, extensive lymphadenectomy, tissue graft with	2.031	6.5	1	0.437	15	0.161	0.136		
	<u> </u>	microvascular anastomosis		ļ	<u> </u>	L	<u> </u>	<u> </u>	L	Ļ	

					Minimum le	ngth of stay	Maximum	length of stay			
DRG <sup>9)</sup>	Partiti on	Designation el 2) al	Cost weight with costs of system use (CSU)	Mean length of stay 13	First day with reduction <sup>2) 5)</sup>	Cost weight/day	First day with additional fee 3)	Cost weight/day	External transfer reduction/day (cost weight)	Transfer flat rate per case	Not counted as readmission 4)
1	2	3 Interventions on the skin of the lower extremity due to ulcer or	4	5	6	7	8	9	10	11	12
J03A	0	infection/inflammation with extremely severe CC Interventions on the skin of the lower extremity due to ulcer or	3.4	18.6	5	0.474	32	0.153		х	
J03B	0	infection/inflammation	1.075	6.5	1	0.369	15	0.14		х	
J04Z	0	Interventions on the skin of the lower extremity except for ulcer or infection/inflammation	0.734	2.6	1	0.227	5	0.195	0.227		
J06A	0	Bilateral mastectomy with prosthesis implantation or plastic surgery for malignant neoplasm or specific intraoperative therapy	2.05	4.4	1	0.51	8	0.236	0.319		х
J06B	0	Mastectomy with prosthesis implantation or plastic surgery for malignant neoplasm	1.56	3.7	1	0.421	7	0.241	0.421		х
J08Z	0	Other skin graft or debridement with complex diagnosis or with additional intervention on the head and throat	1.881	10.6	2	0.448	24	0.146	0.145		
J09A	0	Interventions for pilonidal and perianal sinus, age < 16 years	0.607	2.5	1	0.198	4	0.166	0.198		
J09B	0	Interventions for pilonidal and perianal sinus, age > 15 years  Plastic surgery on the skin, subcutaneous tissue and breast with	0.482	2.3	1	0.105	4	0.094	0.105		
J10A	0	specific intervention or at more than one site, age < 16 years  Plastic surgery on the skin, subcutaneous tissue and breast, age	1.3	4	1	0.617	9	0.222	0.386		
J10B	0	> 15 years Other interventions on the skin, subcutaneous tissue and breast with	1.019	4	1	0.411	9	0.156	0.257		
J11A	0	complicating diagnosis or moderately complex procedure or associated with paraplegia/tetraplegia or complex OR procedure or	1.644	11.8	2	0.432	24	0.134	0.126		
		vacuum treatment									
J11B J14Z	0	Other interventions on the skin, subcutaneous tissue and breast  Plastic reconstruction of the breast for malignant neoplasm	0.726 1.224	3.8	1	0.301 0.362	9	0.098	0.301 0.362		x
J18A	0	Other radiotherapy for diseases and disorders of the skin, subcutaneous tissue and breast with specific procedure, more than	1.829	3.6	1	0.334	7	0.152	0.334		x
JIOA	Ŭ	one inpatient day	1.029	3.0	'	0.334	,	0.132	0.334		^
J18B	0	Other radiotherapy for diseases and disorders of the skin, subcutaneous tissue and breast, more than one inpatient day	1.181	5.6	1	0.544	15	0.236	0.254		x
J21Z	0	Other skin graft or debridement with lymph node excision or severe CC	0.883	2.5	1	0.207	4	0.154	0.207		
J22Z	0	Other skin graft or debridement without complex intervention, without complex diagnosis	0.797	3.4	1	0.289	8	0.166	0.289		
J23A	0	Major bilateral interventions on the breast for malignant neoplasm with plastic reconstruction or implant or lymphadenectomy	1.249	3.3	1	0.48	7	0.251	0.48		х
J23B	0	Major interventions on the breast for malignant neoplasm with plastic reconstruction or implant or lymphadenectomy	0.93	2.7	1	0.255	5	0.219	0.255		x
J24A	0	Interventions on the breast except for malignant neoplasm with extensive intervention	0.966	2.4	1	0.234	4	0.139	0.234		
J24B	0	Interventions on the breast except for malignant neoplasm	0.654	2.1	1	0.166	4	0.127	0.166		
J25Z	0	Minor interventions on the breast for malignant neoplasm  Complex OR procedure over more than one session or surgical	0.667	2.1	1	0.154	4	0.126	0.154		Х
		procedure and complex intensive care treatment > 130/360 points or complex treatment in intermediate care unit > 196/360 points, or									
J33Z	0	complex intensive care treatment/complex treatment in intermediate	5.727	21.3	6	0.573	39	0.185	0.199		
		care unit adults > 184 points with specific OR procedure over more than one session									
J60A	М	Complex skin ulcer or complicating secondary diagnosis and extensive debridement	1.807	12.9	3	0.434	27	0.135	0.155		
J60B	M	Skin ulcer Severe or moderately severe diseases of the skin with extremely	0.845	6.7	1	0.394	15	0.104	0.148		
J61A	M	severe CC or complex diagnosis or chronic paraplegia/tetraplegia	1.589	9.6	2	0.515	20	0.168	0.187		
J61B J61C	M	Severe diseases of the skin or specific therapies  Moderately severe diseases of the skin, age < 16 years	0.87	6.3	1	0.424	13 8	0.146 0.174	0.159 0.191		
J61D	М	Moderately severe diseases of the skin, age > 15 years	0.708	5.5	1	0.334	11	0.12	0.156		
J62A	М	Malignant neoplasms of the breast with extremely severe CC or specific procedure or challenging situations due to malignant	1.764	10.8	2	0.541	23	0.157	0.175		x
J62B	M	neoplasm  Malignant neoplasms of the breast	0.765	5.7	1	0.35	13	0.133	0.163		x
	М	Infection/inflammation of the skin and subcutaneous tissue with					25				
J64A	IVI	extremely severe CC or specific diseases or severe CC with specific procedure	1.77	13.1	3	0.414	25	0.132	0.136		
J64B	М	Infection/inflammation of the skin and subcutaneous tissue, age < 16 years	0.484	2.9	1	0.216	5	0.166	0.216		
J64C	М	Infection/inflammation of the skin and subcutaneous tissue, age > 15 years and severe CC or contact isolation from 7 treatment days	1.026	8	1	0.468	16	0.111	0.127		
J64D	М	Infection/inflammation of the skin and subcutaneous tissue and age	0.549	4.6	1	0.238	10	0.103	0.149		
J65Z	M	> 15 years Injury of the skin, subcutaneous tissue and breast	0.396	2.8	1	0.236	6	0.103	0.149		
J67Z	M	Diseases of the breast except for malignant neoplasm or mild to	0.558	3.8	1	0.227	9	0.132	0.227		
J86A	М	moderate skin diseases Diseases and disorders of the skin, subcutaneous tissue and breast	0.348	1					-	x	
J86B	М	with complex diagnoses, one inpatient day  Diseases and disorders of the skin, subcutaneous tissue and breast,	0.283	1						x	
3000	IVI	one inpatient day  Diseases and disorders of the skin, subcutaneous tissue and breast	0.203							^	
J87Z	M	with complex intensive care treatment/complex treatment in intermediate care unit > 130/119 points	2.743	12.9	3	0.655	27	0.223		х	x
		e, nutritional and metabolic diseases and disorders					- I		_		
K03Z	0	Interventions on the adrenal glands for malignant neoplasm or interventions on the pituitary gland	1.46	5	1	0.403	11	0.184	0.188		x
K06A	0	Interventions on the thyroid gland, parathyroid gland and thyroglossal duct, with parathyroidectomy by means of stemotory or malignant neoplasm with severe CC or extremely severe CC or neck dissection with thyroidectomy or complex intensive care treatment/complex treatment in intermediate care unit newborns/children > 65 points or complex intensive care treatment adults - 119 points	1.489	3.4	1	0.34	7	0.298	0.34		x
K06B	0	Interventions on the thyroid gland, parathyroid gland and thyroglossal duct with complete thyroidectomy	1.055	2.3	1	0.222	4	0.202	0.222		х
K06C	0	Interventions on the thyroid gland, parathyroid gland and thyroglossal duct	0.846	2.1	1	0.184	4	0.185	0.184		x
K09A	0	Other procedures for endocrine, nutritional and metabolic diseases with extremely severe CC or with specific secondary diagnosis or complex OR procedure or radiation with severe CC or age < 10 years	1.907	12.2	3	0.36	25	0.122	0.129		
K09B	0	Other procedures for endocrine, nutritional and metabolic diseases, age > 9 years	1.115	5.8	1	0.326	14	0.092	0.152		
K14A K14B	0	Interventions on the adrenal glands and bilateral neck dissection Interventions on the adrenal glands or neck dissection	1.554 1.179	3.4	1	0.32 0.281	7	0.208 0.184	0.32 0.281		
K15A	0	Radiotherapy for endocrine, nutritional and metabolic diseases with specific radiotherapy or with radioiodine therapy, more than one inpatient day	0.529	2.7	1	0.264	4	0.144	0.264		х
K15B	0	Radiotherapy for endocrine, nutritional and metabolic diseases, more than one inpatient day	0.435	2.7	1	0.217	5	0.115	0.217		х
K33Z	0	Complex OR procedures over more than one session for endocrine, nutritional and metabolic diseases	1.666	4.6	1	0.354	8	0.162	0.221		
K37A	0	Transitional and intelaction useases Endodrine, nutritional and metabolic diseases with complex intensive care treatment/complex treatment in intermediate care unit adults > 184 points or complex intensive care treatment/complex treatment in intermediate care unit newborns/children > 130/196 points and complex OR procedure	3.344	9.8	2	0.715	20	0.237		x	x
K37B	0	Endocrine, nutritional and metabolic diseases with complex intensive care treatment/complex treatment in intermediate care unit adults > 184 points or complex intensive care treatment/complex treatment in intermediate care unit newborns/children > 130/196 points	2.384	10.7	2	0.755	21	0.225		x	x
K60A	М	Diabetes mellitus, age < 16 years, with complex multimodal	1.716	9.6	2	0.561	15	0.18		х	
	1	treatment for diabetes mellitus from 7 treatment days					1		1		

					Minimum le	ength of stay	Maximum	length of stay			
DRG <sup>9)</sup>	Partiti on	Designation <sup>e) 2) e)</sup>	Cost weight with costs of system use (CSU)	Mean length of stay 1)	First day with reduction <sup>2) s)</sup>	Cost weight/day	First day with additional fee <sup>3)</sup>	Cost weight/day	External transfer reduction/day (cost weight)	Transfer flat rate per case	Not counted as readmission 4)
1	2	3 Diabetes mellitus or severe nutritional disorders with extremely	4	5	6	7	8	9	10	11	12
K60B	М	severe CC, or diabetes mellitus with complicating diagnosis or with evaluation for transplantation or age < 6 years or age < 16 years with severe CC or specific diagnosis or paraplegia/tetraplegia	1.316	8	1	0.632	18	0.173		х	
K60C K60D	M	Diabetes mellitus, with severe CC or severe nutritional disorders  Diabetes mellitus, age > 5 and < 16 years	0.903	7 4.4	1	0.419 0.407	15 9	0.128 0.19	0.254	х	
K60E	M	Diabetes mellitus, age > 15 years  Diabetes mellitus, age > 15 years	0.649	5.2	1	0.407	11	0.19	0.254		
K62A	М	Various metabolic diseases associated with paraplegia/tetraplegia or following transplantation or with severe CC or age < 16 years	0.876	5.7	1	0.407	14	0.155	0.19		
K62B	М	Various metabolic diseases except for paraplegia/tetraplegia, age	0.579	4.2	1	0.258	9	0.128	0.161		
K63A	М	> 15 years Congenital metabolic disorders, age < 16 years	0.981	4.4	1	0.445	10	0.235	0.278		
K63B	М	Congenital metabolic disorders, age > 15 years	0.9	6.2	1	0.395	16	0.141	0.148		
K64A	М	Endocrinopathies, age < 16 years with complex diagnosis or specific procedure or paraplegia/tetraplegia or challenging situations due to malignant neoplasm or malignant neoplasm with specific therapy	1.178	5	1	0.56	12	0.259	0.261		х
K64B	М	Endocrinopathies with severe CC or complex radioiodine diagnostics or specific procedure or age < 16 years	0.746	5.9	1	0.342	13	0.128	0.159		x
K64C	М	Endocrinopathies, age > 15 years	0.606	4.6	1	0.27	10	0.105	0.169		х
K86A	М	Endocrine, nutritional and metabolic diseases, one inpatient day with age < 16 years and malignant neoplasms or specific therapy	0.613	1						х	
K86B	М	Endocrine, nutritional and metabolic diseases, one inpatient day with age < 16 years	0.338	1						x	
K86C	М	Endocrine, nutritional and metabolic diseases, one inpatient day with age > 15 years	0.299	1						x	
K87Z	М	Endocrine, nutritional and metabolic diseases with complex intensive care treatment/complex treatment in intermediate care unit > 130/119 points	1.473	7.4	1	0.699	15	0.197		х	х
MDC 11: Dis	eases	and disorders of the kidney and urinary tract  Surgical insertion of a peritoneal dialysis catheter	0.859	3.7	1	0.259	9	0.167	0.259		
LVEL		Kidney, ureter and major urinary bladder interventions for neoplasm,	0.000	5.1		0.203		0.107	0.203		
L03Z	0	age < 18 years or with extremely severe CC, or except for neoplasm, with extremely severe CC or combination intervention or specific intervention Kidney, ureter and major urinary bladder interventions except for	2.922	10.9	2	0.647	22	0.188	0.21		х
L04A L04B	0	records with implantation of an artificial urethral sphincter or age < 16 years Kidney, ureter and major urinary bladder interventions except for	1.644	4.5	1	0.502 0.762	9	0.193 0.178	0.314		
L04B	0	neoplasm or thyroid gland interventions, age < 15 years  Minor interventions on the urinary bladder with extremely severe CC	2.163	11.8	2	0.762	24	0.176	0.361		
L06B	0	Minor interventions on the urinary bladder	0.655	2.6	1	0.16	5	0.153	0.16		
L08A	0	Complex interventions on the urethra with challenging procedure	1.014	3.4	1	0.243	6	0.204	0.243		
L08B	0	Complex interventions on the urethra  Other interventions for diseases of the kidney and urinary tract, age <	0.81	3.3	1	0.325	7	0.18	0.325		
L09A L09B	0	16 years or with extremely severe CC or for neoplasms or specific intervention  Other interventions for diseases of the kidney and urinary tract	2.001 0.859	9.5	1	0.474	22 7	0.173 0.118	0.292	x	х
L10A	0	Bladder reconstruction and continent ileostomy for neoplasm or multivisceral intervention or kidney, ureter and major urinary bladder intervention for neoplasm, age < 18 years or extremely severe CC or	5.319	18.5	5	0.652	32	0.217	0.228		x
L10B	0	combination intervention, with major intervention on the intestine, with extremely severe CC Bladder reconstruction and continent ileostomy for neoplasm without multivisceral intervention or kidney, ureter and major urinary bladder	3.852	13.1	3	0.63	21	0.139	0.206		×
L12Z	0	interventions for neoplasm, age < 18 years or extremely severe CC or combination intervention, with major intervention on the intestine Radiotherapy for diseases and disorders of the kidney and urinary	1.141	8.5	1	0.529	19	0.139	0.143		x
LIZZ	-	tract, more than one inpatient day Kidney, ureter and major urinary bladder interventions for neoplasm	1.141	6.5	'	0.029	19	0.140	0.143		^
L13A	0	or complex interventions with extracorporeal shock wave lithotripsy (ESWL) and severe CC or nephroureterectomy with excision of <a href="https://www.lmph.nodes">lmph.nodes</a> (Kidney, ureter and major urinary bladder interventions for neoplasm	1.847	6	1	0.51	12	0.227	0.191		х
L13B	0	or complex interventions with extracorporeal shock wave lithotripsy (ESWL) and nephroureterectomy or partial nephrectomy or radical excision of lymph nodes	1.583	4.4	1	0.381	8	0.128	0.238		х
L13C	0	Kidney, ureter and major urinary bladder interventions for neoplasm or complex interventions with extracorporeal shock wave lithotripsy (ESWL)	0.813	2.8	1	0.197	5	0.139	0.197		x
L17A	0	Other interventions on the urethra or urinary bladder, more than one inpatient day	0.514	2.4	1	0.17	4	0.153	0.17		
L17B	0	Other interventions on the urethra or urinary bladder, one inpatient day  Complex transurethral, percutaneous transrenal and other retroperitoneal interventions without extracorporeal shock wave	0.406	1	_					х	
L18A	0	ithotripsy (ESWL) with extremely severe CC or paraplegia/tetraplegia or age < 18 years  Complex transurethral, percutaneous transrenal and other	1.962	10.9	2	0.507	23	0.148	0.164		
L18B	0	retroperitoneal interventions without extracorporeal shock wave iithotripsy (ESWL) with specific procedure or complex intensive care treatment/complex treatment in intermediate care unit adults > 119 points, age > 17 years	1.104	4.5	1	0.531	10	0.116	0.332		
L18C	0	Complex transurethral, percutaneous transrenal and other retroperitoneal interventions without extracorporeal shock wave lithotripsy (ESWL), age > 17 years	0.592	2.7	1	0.176	5	0.113	0.176		
L20A	0	Transurethral interventions except for prostate resection and complex ureterorenoscopies, with extremely severe CC, more than one inpatient day	2.18	11.8	2	0.56	24	0.16	0.164		
L20B	0	Transurethral interventions over more than one session except for prostate resection or specific intervention, more than one inpatient day	1.188	4.3	1	0.342	9	0.176	0.214		
L20C	0	Transurethral interventions except for prostate resection and complex ureterorenoscopies with extracorporeal shock wave lithotripsy (ESWL), specific intervention or sepsis, more than one inpatient day	0.729	2.4	1	0.202	5	0.129	0.202		
L20D	0	Transurethral interventions except for prostate resection and complex ureterorenoscopies, more than one inpatient day	0.601	2.3	1	0.184	4	0.12	0.184		
L20E	0	Transurethral interventions except for prostate resection and complex ureterorenoscopies, one inpatient day	0.571	1						х	
L33Z	0	Complex OR procedures over more than one session for diseases and disorders of the kidney and urinary tract or complex vacuum treatment Diseases and disorders of the kidney and urinary tract with complex	6.157	22.8	6	0.64	40	0.197	0.212		
L37A	0	intensive care treatment > 130/184 points or complex treatment in intermediate care unit > 196/184 points or complex diagnosis and specific procedure, with complex OR procedure	4.487	14.3	3	0.811	22	0.231		x	х
L37B	0	Diseases and disorders of the kidney and urinary tract with complex intensive care treatment > 130/184 points or complex treatment in intermediate care unit > 196/184 points or complex diagnosis and specific procedure	2.799	11.8	2	0.813	24	0.228		x	х
L38Z	0	Complicating procedure with specific surgical intervention or multivisceral intervention for diseases and disorders of the kidney and urinary tract	3.833	14.2	3	0.708	28	0.217	0.214		x
L40Z	Α	Diagnostic ureterorenoscopy, two inpatient days	0.573	2	1	0.174	4	0.122	0.174		
L42A	Α	Extracorporeal shock wave lithotripsy (ESWL) for urinary calculi with auxiliary measures or associated with paraplegia/tetraplegia	0.812	2.6	1	0.238	5	0.185	0.238		
L42B	Α	Extracorporeal shock wave lithotripsy (ESWL) for urinary calculi	0.68	2.4	1	0.241	4	0.154	0.241		
L60A	М	Renal insufficiency, more than one inpatient day, with dialysis and acute renal failure and severe CC or specific procedure, or with dialysis and paraplegia/tetraplegia or severe CC or acute renal failure with age < 16 years	2.317	14	3	0.544	27	0.167		x	х
		Tailure with age < 16 years		l		ı			I		

					Minimum le	ength of stay	Maximum	length of stay			
DRG 9)	Partiti on	Designation 43 77 43	Cost weight with costs of system use (CSU)	Mean length of stay 1)	First day with reduction <sup>2) s)</sup>	Cost weight/day	First day with additional fee 3)	Cost weight/day	External transfer reduction/day (cost weight)	Transfer flat rate per case	Not counted as readmission 4)
1	2	3	4	5	6	7	8	9	10	11	12
L60B	М	Renal insufficiency, more than one inpatient day, with dialysis and paraplegia/tetraplegia or severe CC or acute renal failure age > 15	1.675	10.4	2	0.516	23	0.153	0.167		х
1 60C	М	Renal insufficiency, more than one inpatient day, with dialysis or	1.067	7.2	1	0.487	16	0.139	0.153		x
		severe CC or complicating procedure or acute renal failure with specific procedure  Renal insufficiency, more than one inpatient day, with acute renal									
L60D L60E	M	failure Renal insufficiency, more than one inpatient day	0.738	5.7	1	0.337	12	0.123	0.157 0.127		x
L62A	М	Neoplasms of the kidney and urinary tract with paraplegia/tetraplegia or age < 16 years or challenging situations due to malignant	1.38	5	1	0.619	11	0.255	0.127	x	x
L62B	М	neoplasm Neoplasms of the kidney and urinary tract, age > 15 years	0.648	4.8	1	0.28	12	0.132	0.175	° .	x
L63A	М	Infections of the kidney and urinary tract with pyonephrosis or age < 6 years or difficult diagnosis or extremely severe CC or contact	1.003	7.1	1	0.446	15	0.134	0.14		
L63B	М	isolation from 14 treatment days or complicating procedure Infections of the kidney and urinary tract with severe CC or severe	0.732	6	1	0.334	12	0.118	0.125		
L63C	M	motor function impairment, age > 5 years Infections of the kidney and urinary tract with specific intervention or	0.669	3.8	1	0.255	8	0.14	0.255		
L63D	М	paraplegia/tetraplegia or age < 12 years Infections of the kidney and urinary tract and age > 11 years	0.512	4.3	1	0.227	8	0.107	0.142		
L64A	М	Urinary calculi and urinary tract obstruction or urethral stricture or other mild to moderate diseases of the kidney and urinary tract or complaints and symptoms of the kidney and urinary tract, with paraplegia/tetraplegia or specific diagnostics Urinary calculi and urinary tract obstruction with extremely severe CC	0.806	3.7	1	0.262	7	0.157	0.262		
L64B	М	or urethral stricture or other mild to moderate diseases of the kidney and urinary tract or complaints and symptoms of the kidney and urinary tract or urethrocystoscopy	0.52	2.8	1	0.179	6	0.138	0.179		
L64C	М	Urinary calculi and urinary tract obstruction  Other moderately severe diseases of the kidney and urinary tract or	0.367	2.4	1	0.143	4	0.116	0.143		
L68A	М	cystoplegia with paraplegia/tetraplegia or age < 16 years or specific diagnostics  Other moderately severe diseases of the kidney and urinary tract or	0.795	3.9	1	0.323	9	0.185	0.323		
L68B	М	Other moderately severe diseases of the kidney and urinary tract or cystoplegia with complex diagnosis, age > 15 years  Other moderately severe diseases of the kidney and urinary tract or	0.677	4.6	1	0.284	10	0.138	0.177		
L68C L69A	M	Other severe diseases of the kidney and urinary tract, age < 12	0.535	3.7	1	0.217	8	0.126	0.217		
L69A L69B	М	years Other severe diseases of the kidney and urinary tract, age > 11	0.844	5.8 6.2	1	0.491	11	0.168	0.229		
L70A	М	years Diseases and disorders of the kidney and urinary tract with ureter catheterisation or age < 16 years, one inpatient day	0.423	1		-:		=::=2		x	
L70B	М	cameterisation or age < 16 years, one inpatient day  Diseases and disorders of the kidney and urinary tract with specific  procedure and age > 15 years, one inpatient day	0.345	1						х	
L70C	М	Diseases and disorders of the kidney and urinary tract and age > 15 years, one inpatient day	0.262	1						x	
L71Z L72Z	M	Renal insufficiency with dialysis, one inpatient day Thrombotic microangiopathy or haemolytic uraemic syndrome	0.457 1.983	1 10.6	2	0.642	25	0.196	0.208	х	х
L87Z	М	Diseases and disorders of the kidney and urinary tract with complex intensive care treatment/complex treatment in intermediate care unit > 130/119 points	1.574	8.3	1	0.734	16	0.189	0.206	x	х
		and disorders of the male reproductive system  Major interventions on the male pelvic organs or specific intervention		I		ı	I				
M01Z M03A	0	on the male pelvic organs with severe CC Interventions on the penis, age < 18 years	1.854	4.8 3.3	1	0.514 0.448	9	0.219	0.321 0.448		
M03B	0	Interventions on the penis, age > 17 years	0.788	3.2	1	0.314	7	0.156	0.314		
M04A M04B	0	Interventions on the testes, age < 3 years Interventions on the testes, age > 2 years and more than one	0.714	2.4	1	0.149 0.173	4 5	0.181	0.149 0.173		
M04C	0	inpatient day Interventions on the testes, age > 2 years and one inpatient day	0.481	1			-			х	
M05Z	0	Circumcision and other interventions on the penis or in the inguinal and genital region	0.604	2.5	1	0.197	5	0.155	0.197		
M06Z M07Z	0	Other OR procedures on the male reproductive system  Brachytherapy for diseases and disorders of the male reproductive	0.589	2.2	1	0.117 0.28	4	0.144 0.196	0.117 0.28		x
M09A	0	system, implantation of > 10 seeds  OR procedures on the male reproductive system for malignant	1.561	5.9	1	0.47	11	0.182	0.219		
	_	neoplasm with extremely severe CC or specific intervention on the male pelvic organs or complex interventions  OR procedures on the male reproductive system for malignant			·						x
M09B	0	Radiotherapy for diseases and disorders of the male reproductive	0.739	3.2	1	0.247	6	0.165	0.247		х
M10Z M11A	0	system, more than one inpatient day or interstitial brachytherapy Laser destruction of the prostate or transurethral prostate resection	1.428	9.8	2	0.456 0.515	21 25	0.16	0.166		х
M11B	0	with extremely severe CC Laser destruction of the prostate	0.819	2.9	1	0.218	5	0.112	0.13		
M11C	0	Transurethral prostate resection  Major interventions on the intestine or urinary bladder or complicating	0.707	3	1	0.23	5	0.114	0.23		
M37Z	0	procedures with specific surgical intervention or interventions over more than session for diseases and disorders of the male reproductive system or vacuum treatment or tissue graft with microvascular anastomosis	3.369	15.1	4	0.46	30	0.161	0.162		x
M38A	0	Diseases and disorders of the male reproductive system with complex intensive care treatment/complex treatment in intermediate care unit > 196/184 points	3.747	14.2	3	0.759	30	0.234		x	x
M38B	0	Diseases and disorders of the male reproductive system with complex intensive care treatment/complex treatment in intermediate care unit > 130/119 points	2.216	8.2	1	0.813	17	0.156		x	х
M60A	М	Malignant neoplasms of the male reproductive system, age < 12 years or with extremely severe CC or challenging situations due to	1.718	11.9	2	0.535	24	0.143	0.156		x
M60B	М	malignant neoplasm Malignant neoplasms of the male reproductive system	0.666	4.9	1	0.304	11	0.116	0.19		x
M61Z M62A	M	Benign prostatic hyperplasia Infection or inflammation of the male reproductive system with	0.487	3.9 6	1	0.209	9	0.113	0.209		
M62B	М	severe CC Infection or inflammation of the male reproductive system	0.453	3.9	1	0.201	7	0.076	0.201		
M64Z	М	Other diseases of the male reproductive system or male sterilisation	0.527	3.7	1	0.212	8	0.087	0.212		
M86Z	M	Diseases and disorders of the male reproductive system, one inpatient day	0.375	1						x	
		and disorders of the female reproductive system  Hysterectomy or debulking or major abdominal intervention with	2.00	44.7	2	0.700	40	0.040	0.000		
N01A	0	lymph node excision or female pelvic evisceration, for malignant neoplasm, with complex intervention  Hysterectomy with extremely severe CC or complex intensive care teachers > 120(110 prints or major physical intensive care)	3.82	11.7	2	0.796	19	0.213	0.232		х
N01B	0	treatment > 130/119 points or major abdominal intervention with lymph node existion, or debulking or female pelive evisceration or major abdominal intervention or lymph node excision or specific intervention over more than one session or complicating procedure with severe CC. for malignant neoplasm	3.235	10	2	0.644	17	0.136	0.209		x
N01C	0	Hysterectomy or debulking or female pelvic evisceration or major abdominal intervention or lymph node excision or specific intervention over more than one session or complicating procedure, for malignant neoplasm	2.295	6.4	1	0.621	12	0.14	0.233		х
N01D	0	Radical hysterectomy or specific intervention or regional lymph node excision, for malignant neoplasm	1.517	3.9	1	0.385	8	0.152	0.385		x
N01E	0	Hysterectomy for malignant neoplasm Interventions on the uterus and adnexa or lymph node excision due	1.216	3.3	1	0.317	7	0.137	0.317		x
N02A	0	to malignant neoplasm of the female reproductive system, with extremely severe CC or complex intensive care treatment/complex treatment in intermediate care unit > 130/119 points	3.555	11.6	2	0.805	20	0.213	0.235		х

					Minimum le	ngth of stay	Maximum	length of stay			
DRG <sup>9)</sup>	Partiti on	Designation el ?) el	Cost weight with costs of system use (CSU)	Mean length of stay 1)	First day with reduction <sup>2) s)</sup>	Cost weight/day	First day with additional fee 3) s)	Cost weight/day	External transfer reduction/day (cost weight)	Transfer flat rate per case	Not counted as readmission 4)
1	2	3	4	5	6	7	8	9	10	11	12
N02B	0	Interventions on the uterus or cervix or vulva or lymph node excision for malignant neoplasm Interventions on the uterus or adnexa or ovary for malignant	1.418	4.2	1	0.366	9	0.195	0.229		х
N02C N04A	0	neoplasm Specific hysterectomy with challenging intervention or extremely severe CC or complex intensive care treatment > 130/119 points, or hysterectomy with additional intervention or lymph node excision or endometriosis with specific intervention or reconstructive intervention.	1.019	2.9	1	0.324	6	0.14	0.324		х
N04B	0	with severe CC, except for malignant neoplasm Hysterectomy with additional intervention or lymph node excision or endometriosis with specific intervention or reconstructive intervention, except for malignant neoplasm	1.212	2.9	1	0.205	5	0.184	0.205		
N04C	0	Hysterectomy with oophorectomy or complex interventions on the Fallopian tube or with complex diagnosis and challenging intervention or challenging procedure, except for malignant neoplasm	1.003	2.6	1	0.179	5	0.19	0.179		
N04D N06A	0	Hysterectomy or cophorectomy or complex interventions on the Fallopian tube except for malignant neoplasm Complex reconstructive interventions on the female reproductive	0.812	2.5 4.9	1	0.173 0.34	5 11	0.182	0.173 0.213		
		system, with severe CC or complicating procedure  Complex reconstructive interventions on the female reproductive	1.495								
N06B	0	system and specific intervention or specific procedure  Complex reconstructive interventions on the female reproductive	1.118	2.7	1	0.221	5	0.119	0.221		
N06C	0	system  Other interventions on the uterus and adnexa except for malignant	0.82	3	1	0.255	6	0.102	0.255		
N07A	0	neoplasm, with complex diagnosis and specific situation	1.012	2.4	1	0.287	4	0.188	0.287		
N07B	0	Other interventions on the uterus and adnexa except for malignant neoplasm, with complex diagnosis	0.847	2.4	1	0.202	4	0.127	0.202		
N08Z	0	Endoscopic interventions on the female reproductive system  Diagnostic and other interventions on the female reproductive	0.868	2.5	1	0.198	5	0.178	0.198		
N09Z	0	Order OR procedures on the female reproductive system with	0.637	2.2	1	0.217	4	0.125	0.217		х
N11A	0	challenging intervention or extremely severe CC	1.468	4.8	1	0.403	12	0.204	0.252		
N11B	0	Other OR procedures on the female reproductive system or specific interventions	0.789	2.5	1	0.205	5	0.129	0.205		
N13Z	0	Major interventions on the vagina, cervix and vulva  Radiotherapy for diseases and disorders of the female reproductive	0.73	2.5	1	0.265	5	0.179	0.265		
N16Z	0	system, fewer than 9 radiation sessions or brachytherapy Other reconstructive interventions on the female reproductive system	1.132	4.3	1	0.553	9	0.264	0.346		х
N23A	0	with myoma enucleation	1.031	2.5	1	0.461	4	0.204	0.461		
N23B	0	Other reconstructive interventions on the female reproductive system  Other interventions on the uterus and adnexa except for malignant	0.625	2.4	1	0.186	4	0.152	0.186		
N25A	0	other interventions on the uterus and adhexa except of manigrant neoplasm, without complex diagnosis or diagnostic laparoscopy, age < 18 years  Other interventions on the uterus and adnexa except for malignant	0.823	2.3	1	0.183	4	0.269	0.183		
N25B	0	neoplasm, without complex diagnosis or diagnostic laparoscopy, age > 17 years Interventions over more than one session or complicating procedure or vacuum treatment or very severe CC with specific surgical	0.765	2.2	1	0.153	4	0.123	0.153		
N33Z N34Z	0	intervention for diseases and disorders of the female reproductive system  Major intervention on the intestine or urinary bladder for diseases and	2.269	16.5 6.2	1	0.634	31	0.237	0.185	х	
14342	0	disorders of the female reproductive system  Malignant neoplasm of the female reproductive system, age < 16	2.209	0.2	-				0.163		
N60A	М	years or extremely severe CC or specific procedure or challenging situations due to malignant neoplasm	1.753	11.1	2	0.552	25	0.164		х	x
N60B	М	Malignant neoplasm of the female reproductive system, age > 15 vears	0.798	5.7	1	0.364	14	0.142		х	х
N61Z	M	Infection and inflammation of the female reproductive system  Menstrual disorders and other diseases of the female reproductive	0.499	3.4	1	0.213	7	0.134	0.213		
N62A	M	system with complex diagnosis  Menstrual disorders and other diseases of the female reproductive	0.512	3.1	1	0.203	7	0.15	0.203		
N62B N86A	M	system Diseases and disorders of the female reproductive system and	0.385	2.5	1	0.165	5	0.097	0.165	,	
N86B	М	complicating diagnosis, one inpatient day  Diseases and disorders of the female reproductive system, one		1						x	
		inpatient day  cy, childbirth and the puerperium	0.308	1						х	
O01A	0	Caesarean section and dialysis, or complex intrauterine therapy for the foetus	3.882	14.7	3	0.653	21	0.183	0.198		х
O01B	0	Caesarean section with more than one complicating diagnosis, pregnancy duration up to 33 weeks (WoP) or with intrauterine therapy or complicating procedure or complicating diagnosis or	1.365	6.3	1	0.385	11	0.124	0.144		x
O01C	0	extremely severe CC Secondary caesarean section with more than one complicating diagnosis or complex procedure, or up to 33 WoP or complex diagnosis, or complicating diagnosis and 26 to 33 WoP	1.202	5.4	1	0.299	9	0.079	0.14		x
O01D	0	Secondary caesarean section with complicating diagnosis, pregnancy duration more than 33 completed weeks	1.109	4.8	1	0.267	7	0.081	0.167		x
O01E	0	Caesarean section with more than one complicating diagnosis or complex procedure, or up to 33 WoP or complex diagnosis, or complicating diagnosis and 26 to 33 WoP or complex diagnosis, or secondary caesarean section	1.024	4.4	1	0.254	7	0.082	0.159		x
001F	0	Caesarean section with complicating diagnosis, pregnancy duration more than 33 completed weeks	0.83	3.8	1	0.223	6	0.085	0.223		х
001G	0	Caesarean section, pregnancy duration more than 33 completed weeks	0.788	3.6	1	0.203	6	0.085	0.203		х
O02A	0	Vaginal delivery with challenging intervention or specific procedure with specific diagnosis, and extremely severe CC or protracted labour or intrauterine procedure or complex intensive care treatment > 65/59 points	1.076	4.3	1	0.629	8	0.198		x	х
O02B	0	Vaginal delivery with challenging intervention or specific procedure with specific diagnosis	0.892	3.7	1	0.401	7	0.12		х	x
O03Z	0	Ectopic pregnancy	0.757	2.2	1	0.154	4	0.178	0.154		X
O04Z O38A	0	Inpatient admission following delivery or abortion with OR procedure Pregnancy, childbirth and the puerperium with complex intensive care treatment/complex treatment in intermediate care unit > 196/184 points	0.595 3.788	10.5	2	0.225	18	0.154	0.225		x
O38B	0	Pregnancy, childbirth and the puerperium with complicating	2.387	7.6	1	0.832	15	0.232	0.262		x
O50A	0	procedure or complex OR procedure Inpatient treatment before delivery from 56 treatment days with	6.967	65.2	20	0.243	78	0.08	0.08		x
O50B	0	specific situation Inpatient treatment before delivery from 28 treatment days with	4.648	40.2	12	0.262	54	0.059	0.087		x
O50C	0	specific situation Inpatient treatment before delivery from 14 treatment days	2.927	22.4	6	0.295	31	0.066	0.098		x
O50D	0	Inpatient treatment before delivery from 7 treatment days	1.953	13	3	0.326	18	0.071	0.107		x
O60A	М	Vaginal delivery with more than one complicating diagnosis or specific diagnosis with specific procedure, pregnancy duration up to 33 completed weeks or specific treatment Vaginal delivery with more than one complicating diagnosis or	1.011	5	1	0.268	9	0.182	0.125		х
O60B	М	specific diagnosis with specific procedure, pregnancy duration more than 33 completed weeks	0.826	4.2	1	0.215	7	0.151	0.135		x
O60C O60D	M M	Vaginal delivery with severe or moderately severe complicating diagnosis or specific treatment or severe CC Vaginal delivery	0.722 0.564	3.6 3.1	1	0.283 0.181	6 5	0.108 0.107	0.283 0.181		x x
O61Z	М	Inpatient admission following delivery or thromboembolism during the gestation period or abortion without OR procedure	0.417	3.2	1	0.18	6	0.08	0.18		х
O62Z	М	Imminent abortion Other prenatal inpatient admission with severe CC or complex	0.35	2.7	1	0.16	5	0.08	0.16		х
O65A O65B	М	diagnosis, pregnancy duration 20 to 33 completed weeks, more than one inpatient day  Other prenatal inpatient admission with severe CC or complex diagnosis, pregnancy duration up to 19 or 26 to 33 completed	0.649	5.8	1	0.236	15 9	0.096	0.11		×
OppB	М	diagnosis, pregnancy duration up to 19 or 26 to 33 completed weeks, more than one inpatient day	U.468	3.7	1	0.179	9	0.074	0.179		х

					Minimum le	ngth of stay	Maximum	length of stay			
DRG <sup>9)</sup>	Partiti on	Designation <sup>e) 2) e)</sup>	Cost weight with costs of system use (CSU)	Mean length of stay 1)	First day with reduction <sup>2) s)</sup>	Cost weight/day	First day with additional fee <sup>3)</sup>	Cost weight/day	External transfer reduction/day (cost weight)	Transfer flat rate per case	Not counted as readmission 4)
1 O65C	2 M	3 Other prenatal inpatient admission, more than one inpatient day	0.403	5	6 1	7 0.156	7	9 0.075	10	11	12
O65D		Other prenatal inpatient admission, more than one inpatient day  Other prenatal inpatient admission, one inpatient day	0.403	3.1		0.156	,	0.075	0.156	×	x x
		and other neonates				L		L	L		
P02A	0	Cardioliboracio or vascular interventions or intervention over more than one session for newborn with complex intensive care treatment > 1470 points or complex treatment in intermediate care unit > 1764 points, or specific complex intensive care treatment with complex treatment in intermediate care unit points	19.112	43.2	13	1.139	61	0.4		х	х
P02B	0	Cardiothoracic or vascular interventions or intervention over more than one session for newborns with complex intensive care treatment > 784 or complex treatment in intermediate care unit > 980 points	11.03	26.9	7	1.135	44	0.405		х	х
P02C	0	Cardiothoracic or vascular interventions or intervention over more than one session for newborns	7.836	20.9	5	1.072	38	0.337		х	x
P03A	0	Newborn, weight on admission 1000–1499 g with significant OR procedure and complex intensive care treatment > 1764 points or complex treatment in intermediate care unit > 2352 points or specific complex intensive care treatment with complex treatment in intermediate care unit points Newborn, weight on admission 1000–1499 g with significant OR	15.877	61.5	19	0.79	79	0.26		х	х
P03B	0	procedure or complex intensive care treatment > 392 points or complex treatment in intermediate care unit > 980 points or Newborn, weight on admission 1500–1999 g with complex intensive	6.612	31.3	9	0.66	49	0.214		х	х
P04A	0	care treatment > 980 points or complex treatment in intermediate care unit > 1470 points or specific complex intensive care treatment with complex treatment in intermediate care unit points	9.352	44.3	13	0.666	62	0.215		x	x
P04B	0	Newborn, weight on admission 1500–1999 g with complex intensive care treatment > 588 points or complex treatment in intermediate care unit > 784 points	6.338	32.2	9	0.632	49	0.196		x	х
P04C	0	Newborn, weight on admission 1500–1999 g with significant OR procedure or complex intensive care treatment > 392 points or complex treatment in intermediate care unit > 588 points or gestational age < 33 weeks	4.735	26.2	7	0.59	41	0.186		x	х
P05A	0	Newborn, weight on admission > 1999 g with severe problem and complex intensive care treatment > 980 points or complex treatment in intermediate care unit > 1176 points or specific complex intensive care treatment with complex treatment in intermediate care unit points	10.597	33	10	0.949	51	0.316		х	х
P05B	0	Newborn, weight on admission > 1999 g or with severe problem and complex intensive care treatment > 588 points or complex treatment in intermediate care unit > 980 points	5.361	17.7	4	1.048	32	0.311		x	х
P05C	0	Newborn, weight on admission > 1999 g with significant OR procedure with more than one severe problem	4.71	13.4	3	1.12	28	0.293	0.367		x
P05D	0	Newborn, weight on admission > 1999 g with significant OR procedure or complex intensive care treatment > 392 points or specific complex intensive care treatment with complex treatment in intermediate care unit points	4.109	14.2	3	0.943	29	0.246	0.286		х
P37Z	0	Newborns with complex intensive care treatment > 4410 / complex treatment in intermediate care unit > 4900 points	34.066	102.6	33	0.957	120	0.348		×	x
P60A	М	Newborn, dead, one inpatient day, without specific procedure and not transferred									
P60B	М	densiented.  Newborn, dead or transferred < 5 days after admission without significant OR procedure with challenging situation or complex intensive care treatment/complex treatment in intermediate care unit > 65 points	1.05	1.5						×	x
P60C	М	Newborn, dead or transferred < 5 days after admission without significant OR procedure with specific situation or admission postooned	0.411	1.1						х	х
P60D	М	Newborn, dead or transferred < 5 days after admission without significant OR procedure	0.34	1.2						х	x
P61A	М	Newborn, weight on admission < 1000 g with significant OR procedure or complex intensive care treatment/complex treatment in intermediate care unit > 3430 points or gestational age < 27 weeks or specific complex intensive care treatment with complex treatment in intermediate care unit position.	21.08	74.5	23	0.877	92	0.291		х	х
P61B	М	Newborn, weight on admission < 1000 g with complex intensive care treatment > 2940 points with gestational age < 30 weeks	13.953	58.3	18	0.734	76	0.245		x	x
P61C	М	Newborn, weight on admission < 1000 g, dead < 29 days after admission	6.855	12.7						x	×
P63Z	М	Newborn, weight on admission 1000–1499 g	4.82	27.6	8	0.533	45	0.181		x	x
P65A	М	Newborn, weight on admission 1500–1999 g with complex intensive care treatment > 196 points or complex treatment in intermediate care unit > 392 points or with severe problem or gestational age < 32 weeks	2.802	16.4	4	0.558	30	0.177		x	х
P65B	М	Newborn, weight on admission 1500–1999 g, with other problem or gestational age < 35 weeks or with complex intensive care treatment > 65 points or complex treatment in intermediate care unit > 130 points	2.088	12.9	3	0.518	25	0.156		х	х
P65C	М	Newborn, weight on admission 1500–1999 g	0.759	5.5	1	0.372	12	0.142		x	х
P66A	М	Newborn, weight on admission 2000–2499 g with more than one severe problem or weight on admission > 2499 g with specific situations or complex intensive care treatment > 196 points or complex treatment in intermediate care unit > 392 points or grestational age < 35 weeks or specific paediatric diagnostics	2.958	15.4	4	0.589	29	0.201		х	х
P66B	М	Newborn, weight on admission 2000–2499 g or weight on admission > 2499 g with specific situations or with severe problem, or complex intensive care treatment > 65 points or complex treatment in intermediate care unit > 130 points or specific paediatric diagnostics, or gestational age < 35 weeks or transferred.	1.273	7.3	1	0.627	15	0.15		x	х
P66C	М	Newborn, weight on admission 2000–2499 g with other problem or complex treatment in intermediate care unit > 65 points or transferred	0.64	5.4	1	0.374	11	0.134		х	х
P66D	М	Newborn, weight on admission 2000–2499 g or weight on admission > 2499 g with other problem	0.332	4	1	0.151	7	0.084	0.094		х
P67A	М	Newborn, weight on admission > 2499 g with more than one severe problem or gestational age < 35 weeks or complex intensive care treatment/complex treatment in intermediate care unit > 130 points or contact isolation from 7 treatment days, or with other problem more than one inpatient day or with non-significant OR procedure, with complicating diagnosis or specific situation, gestational age < 35 weeks	1.324	5.9	1	0.653	12	0.236	0.305		х
P67B	М	Newborn, weight on admission > 2499 g with severe problem or complex intensive care treatment/complex treatment in intermediate care unit > 65 points, or with other problem, more than one inpatient day or with non-significant OR procedure, with complicating diagnosis or specific situation	0.667	3.8	1	0.384	7	0.18	0.384		х
P67C		Newborn, weight on admission > 2499 g with other problem, more than one inpatient day or with non-significant OR procedure, with specific situation	0.469	3.8	1	0.181	7	0.123	0.181		х
P67D		Newborn, weight on admission > 2499 g	0.224	3.1	1	0.093	5	0.048	0.093		х
MDC 16: Dis	eases	of the blood, blood-forming organs and immune system Interventions on the spleen	1.763	5.8	1	0.499	13	0.196	0.233		
Q02A	0	Various OR procedures for diseases of the blood, blood-forming	3.031	12.7	3	0.608	24	0.198		х	
Q02B	0	organs and immune system, with extremely severe CC Various OR procedures for diseases of the blood, blood-forming	1.147	4.3	1	0.573	10	0.126	0.358		
Q03Z	0	organs and immune system Minor interventions for diseases of the blood, blood-forming organs	0.83	3.3	1	0.269	8	0.17	0.269		
Q37A	0	and immune system Diseases of the blood, blood-forming organs and immune system	3.339	11.3	2	1.025	22	0.17	0.200	x	x
	_	with complex intensive care treatment > 130/184 points Diseases of the blood, blood-forming organs and immune system								^	^
Q37B	0	with complex intensive care treatment adults > 119 points or complex treatment in intermediate care unit > 130/119 points	1.74	8.1	1	0.8	17	0.228		х	х

					Minimum le	nath of stav	Maximum	length of stay			
DRG <sup>9)</sup>	Partiti on	Designation 63 77 83	Cost weight with costs of system use (CSU)	Mean length of stay 1)	First day with reduction <sup>2) s)</sup>	Cost weight/day	First day with additional fee <sup>3)</sup>	Cost weight/day	External transfer reduction/day (cost weight)	Transfer flat rate per case	Not counted as readmission 4)
1	2	3 Diseases of the reticuloendothelial system and immune system and	4	5	6	7	8	9	10	11	12
Q60A	М	coagulation disorders with specific complex diagnosis or complicating procedure and complex diagnosis or extremely severe CC, more than one inpatient day or specific diagnosis or protective isolation from 7 treatment days Diseases of the reticuloendothelial system and immune system and	1	5.4	1	0.459	11	0.186	0.214		
Q60B	М	coaquiation disorders, parapleqia/tetrapleqia or age < 16 years  Diseases of the reticuloendothelial system and immune system and	0.618	3.4	1	0.282	7	0.19	0.282		
Q60C	М	Coaquilation disorders, age > 15 years  Red blood cell disorders more than one inpatient day with very	0.806	5.6	1	0.369	12	0.142	0.172		
Q61A	М	severe CC or specific complex diagnosis, or complicating procedures	2.939	14.9	3	0.705	28	0.189		x	
Q61B	М	Red blood cell disorders with specific complex diagnosis or extremely severe CC or age < 16 years	1.097	6	1	0.515	14	0.189		x	
Q61C	М	Red blood cell disorders, age > 15 years	0.749	5	1	0.343	11	0.147		х	
Q86A	М	Diseases of the blood, blood-forming organs and immune system with specific intervention or age < 16 years, one inpatient day Diseases of the blood, blood-forming organs and immune system,	0.38	1						х	
Q86B	M	age > 15 years, one inpatient day c disorders (haematological and solid neoplasms)	0.324	1						х	
R01A		Surgical interventions for haematological and solid neoplasms and more than one inpatient day with complex or complicating procedure or challenging situations due to malignant neoplasm and extremely severe CC, or specific intervention or complex intensive care treatment/complex treatment in intermediate are unit > 130/119 points or specific OR procedure over more than one session or specific processes	4.163	16	4	0.634	31	0.22	0.209		х
R01B	0	Surgical interventions for haematological and solid neoplasms and more than one inpatient day with complex or complicating procedure or extremely severe CC or lymph node excision or complex chemotherapy or age < 18 years	1.483	4.7	1	0.376	11	0.18	0.235		х
R01C	0	Surgical interventions for haematological and solid neoplasms and more than one inpatient day or complex treatment for multidrug- resistant pathogens from 14 treatment days, age > 17 years Highly complex chemotherapy 2 blocks of therapy with protective	1.16	4.9	1	0.366	12	0.18	0.229		х
R50A	0	isolation from 14 treatment days or complex intensive care treatment/complex treatment in intermediate care unit > 196/360 points and specific situation or age < 18 years or graft versus host disease or more than 8 radiation sessions	9.836	34.8	10	0.863	52	0.28		х	х
R50B	0	Highly complex chemotherapy 2 blocks of therapy with protective isolation from 28 treatment days with complex chemotherapy, or very severe CC.  Highly complex chemotherapy 2 blocks of therapy or protective	7.921	33.9	10	0.703	49	0.232		x	х
R50C	0	isolation from 14 treatment days or complex intensive care treatment/complex treatment in intermediate care unit > 196/360 points Acute myeloid leukaemia, more than one inpatient day or autologous	5.179	23	6	0.712	38	0.226		x	х
R60A	М	stem cell collection or graft versus host disease, with challenging situations due to malignant neoplasm or complex diagnosis or complicating procedure	6.763	30.3	9	0.67	45	0.226		х	х
R60B	М	Acute myeloid leukaemia, more than one inpatient day or autologous stem cell collection or graft versus host disease, with challenging situations due to malignant neoplasm, or age < 18 years and extremely severe CC or complicating procedure or complex diagnosis or complex intensive care treatment > 196/360 points Acute myeloid leukaemia, more than one inpatient day or autologous	3.424	17.2	4	0.671	33	0.215		х	х
R60C	М	stem cell collection or graft versus host disease with dialysis or extremely severe CC or protective isolation from 7 treatment days or age < 16 years	1.905	9	2	0.613	19	0.147		х	х
R60D	М	Acute myeloid leukaemia, more than one inpatient day or autologous stem cell collection or graft versus host disease, age > 15 years  Lymphoma and non-acute leukaemia with dialysis or protective	1.114	6.1	1	0.534	13	0.132		х	х
R61A	М	isolation from 7 treatment days or complex diagnostics or age < 8 years, and complicating procedure or complicating diagnosis, and complex intensive care treatment > 184 points or extremely severe CC, more than one inpatient day Lymphoma and non-acute leukaemia with dialysis or protective	3.947	19.8	5	0.641	37	0.208		х	х
R61B	М	isolation from 7 treatment days or complex diagnostics or age < 8 years, and complicating procedure or complicating diagnosis or challenging situations due to malignant neoplasm or complex treatment in intermediate care unit > 184 points, more than one inpatient day	3.018	15.2	4	0.551	30	0.195		x	х
R61C	М	Lymphoma and non-acute leukaemia with dialysis or protective isolation from 7 treatment days or complex diagnosis or age < 8 years or severe CC with specific diagnosis or extremely severe CC, more than one inpatient day	1.975	11.6	2	0.628	24	0.18		х	x
R61D	М	Lymphoma and non-acute leukaemia, more than one inpatient day with severe CC or age < 18 years or sepsis	1.129	7	1	0.53	16	0.162		x	х
R61E	М	Lymphoma and non-acute leukaemia, more than one inpatient day  Other haematological and solid neoplasms with complicating	0.768	4.7	1	0.361	10	0.128	0.225		х
R62A	М	diagnosis or complicating procedure or challenging situations due to malignant neoplasm or age < 18 years and osteolysis or extremely severe CC or paraplegia/tetraplegia, more than one inpatient day	1.748	10.7	2	0.502	26	0.153	0.162		х
R62B	М	Other haematological and solid neoplasms, more than one inpatient day	0.842	4.4	1	0.311	10	0.125	0.194		х
R63A	М	Other acute leukaemia, more than one inpatient day with complicating procedure or complicating diagnosis or challenging	4.337	16.3	4	0.813	32	0.264		x	x
R63B	М	situations due to malignant neoplasm  Other acute leukaemia, more than one inpatient day and age < 18	1.888	8.8	1	0.92	21	0.277	0.249		x
R63C	м	years with extremely severe CC or specific diagnosis  Other acute leukaemia, more than one inpatient day with extremely severe CC or dialysis or complex diagnostics or complex diagnosis	1.7	7.9	1	0.826	18	0.239	0.26		x
R63D	M	severe CC or diarysis or complex diagnostics or complex diagnosts or age < 1 year or age < 18 years with complex chemotherapy  Other acute leukaemia, more than one inpatient day	0.852	3.5	1	0.826	7	0.239	0.26		^
R65A	M	Haematological and solid neoplasms, with complex diagnostics for	0.852	1	'	0.410	,	0.102	0.410	x	x
R65B	М	malignant disease or age < 18 years, one inpatient day  Haematological and solid neoplasms with specific procedure, age > 17 years, one inpatient day	0.618	1						x	х
R65C	М	Haematological and solid neoplasms, one inpatient day	0.43	1						х	х
MDC 18B: Ir	ntectiou	us and parasitic diseases  OR procedure or extensive debridement for infectious and parasitic					l				
T01A	0	diseases with complex intensive care treatment/complex treatment in intermediate care unit > 196/184 points or complex procedure over more than one session OR procedure or extensive debridement for infectious and parasitic	4.143	15.1	4	0.741	30	0.256		х	
T01B T01C		diseases with complex OR procedure or complicating diagnoses or complicating procedure OR procedure or extensive debridement for infectious and parasitic diseases associated with sepsis or contact isolation from 7 treatment	2.874	9.8	2	0.552	27	0.18		x	
		diseases associated with sepsis or contact isolation from 7 treatment days  OR procedure or extensive debridement for infectious and parasitic									
T01D	0	diseases Infectious and parasitic diseases with complex intensive care	1.211	7.3	1	0.716	17	0.143		x	
T36A	0	treatment > 980/1104 points or very severe CC or complex intensive care treatment > 784/828 points with specific OR procedure over more than one session Infectious and parasitic diseases with complex intensive care	8.653	21.1	6	1.174	38	0.4		х	х
T36B	0	intectious and parasitic diseases with complex intensive care treatment > Tal4/828 points or complex OR procedure or specific complex intensive care treatment with complex treatment in intermediate care unit points Infectious and parasitic diseases with complex intensive care	7.282	19.6	5	1.151	35	0.363		х	х
T36C	0	Intectious and parasitic diseases with complex intensive care treatment > 392/552 points or complex vacuum treatment or complex intensive care treatment > 196/360 points with dialysis	5.418	17.2	4	1	31	0.311		х	x

					Minimum le	ength of stay	Maximum	length of stay			
DRG <sup>9)</sup>	Partiti on	Designation el 27 al	Cost weight with costs of system use (CSU)	Mean length of stay 1)	First day with reduction <sup>2) s)</sup>	Cost weight/day	First day with additional fee <sup>3)</sup>	Cost weight/day	External transfer reduction/day (cost weight)	Transfer flat rate per case	Not counted as readmission 4)
1	2	3 Sepsis with complicating procedure or following organ	4	5	6	7	8	9	10	11	12
T60A	А	transplantation, with complex intensive care treatment/complex treatment in intermediate care unit > 130/184 points or complex treatment for multidrug-resistant pathogens from 14 treatment days or contact isolation from 14 treatment days	2.609	11.8	2	0.829	23	0.222		x	
T60B	Α	Sepsis with complicating procedure or following organ transplantation with extremely severe CC or septic shock, or with paraplegia/tetraplegia or age < 16 years or specific intervention Sepsis with complicating procedure or following organ	1.95	11.1	2	0.609	23	0.176		х	
T60C	Α	transplantation, age > 15 years or complex intensive care treatment/complex treatment in intermediate care unit > 119 points, or extremely severe CC and age < 15 years	1.385	9.6	2	0.432	18	0.144		x	
T60D T60E	A	Sepsis, age < 10 years or paraplegia/tetraplegia Sepsis, age > 9 years	0.789	4.4 6.7	1	0.369 0.41	9	0.182 0.131		x x	
T60F	A	Sepsis, dead < 5 days after admission and complex intensive care treatment/complex treatment in intermediate care unit > 130/184 points or OR procedure Sepsis, dead < 5 days after admission	1.485 0.512	2.2						x x	
T61A	М	Post-operative and post-traumatic infections with complicating procedure or complicating diagnosis or severe CC or contact isolation from 7 treatment days	1.035	8.1	1	0.448	17	0.131		x	
T61B T62A	M	Post-operative and post-traumatic infections  Fever of unknown origin with severe CC	0.608 0.735	4.3 5.1	1	0.24 0.332	9	0.083 0.141	0.15 0.155		
T62B	M	Fever of unknown origin, age < 18 years	0.733	2.5	1	0.332	5	0.193	0.133		
T62C	М	Fever of unknown origin, age > 17 years  Viral disease following organ transplantation or difficult diagnosis or	0.57	4.2	1	0.253	9	0.088	0.158		
T63A T63B	M	viral usease rollowing organitransplantation of unificult diagnosis of infections with cytomegaloviruses or contact isolation from 7 treatment days  Other viral diseases	1.109 0.539	7.2 3.6	1	0.52	16	0.157	0.163 0.242		
T64A	М	Other infectious and parasitic diseases with extremely severe CC or complicating procedure or septic shock or contact isolation from 7 treatment days	1.577	11.2	2	0.494	23	0.146		x	
T64B T64C	M M	Other infectious and parasitic diseases and age < 18 years  Other infectious and parasitic diseases, age > 17 years	0.643	3.7 6.5	1	0.291 0.372	7 14	0.186 0.126		X X	
T86A	М	Infectious and parasitic diseases with sepsis and transferred, one inpatient day	0.462	1						x	
T86B MDC 19: Me	M ntal dis	Infectious and parasitic diseases, one inpatient day seases and disorders	0.279	1						х	
U01A U01B	0	Sex reassignment surgery with complex or challenging intervention or specific OR procedure over more than one session or specific process  Sex reassignment surgery	2.38 0.974	8.1 2.7	1	0.53 0.251	16 5	0.229	0.143 0.251		
U41A	A	Social and neuropaediatric and paediatric-psychosomatic therapy for mental diseases and disorders and for diseases and disorders of the nervous system with specific therapy and age < 18 years, or age < 12 years	2.64	20.2	5	0.438	37	0.133	0.137		
U41B	Α	Social and neuropaediatric and paediatric-psychosomatic therapy for mental diseases and disorders and for diseases and disorders of the nervous system and age < 18 years, or age > 11 years  Mental diseases and disorders with complex intensive care treatment	1.997	18.6	5	0.331	36	0.107	0.116		
U60A	М	Seg points, one inpatient day     Mental diseases and disorders, age < 18 years or complex	0.607	1						х	
U60B U60C	M	neurological diagnostics, one inpatient day	0.218	1						x x	
		Mental diseases and disorders, age > 17 years, one inpatient day Schizophrenia or acute psychotic disorders with specific procedure or								X	
U61A	М	complex intensive care treatment > 196/119 points or extremely severe CC	1.894	6.4	1	0.894	14	0.194	0.335		
U61B U63Z	M	Schizophrenia or acute psychotic disorders Severe affective or delusional disorders	0.656 0.682	4.2 5	1	0.279 0.309	10 12	0.16 0.136	0.175 0.144		
U64A	М	Anxiety disorders or other affective and somatic disorders, age, < 16 years or extremely severe CC or complex neurological diagnostics or	0.7	5	1	0.332	14	0.161	0.155		
U64B	М	paraplegia/tetraplegia Anxiety disorders or other affective and somatic disorders, age > 15 years	0.606	4.7	1	0.273	11	0.126	0.171		
U66A	М	Eating, obsessive-compulsive and personality disorders or mental disorders in childhood and complex intensive care treatment/complex treatment in intermediate care unit > 196/184 points or complex treatment for anorexia from 28 treatment days Eating, obsessive-compulsive and personality disorders or mental	5.982	48.6	15	0.371	66	0.137		x	
U66B	М	caurig, obsessive-compulsive and personality disorders or mental disorders in childhood with complicating diagnoses and more than one inpatient day or specific complex treatment  Eating, obsessive-compulsive and personality disorders or mental	2.259	18.5	5	0.37	36	0.128		х	
U66C	M	disorders in childhood, age < 18 years Eating, obsessive-compulsive and personality disorders or mental	0.721	5	1	0.343	13	0.164		х	
U66D MDC 20: Alc	M ohol/d	disorders in childhood, age > 17 years rug use and alcohol/drug induced organic mental disorders	0.535	4.4	1	0.231	10	0.085		х	
V01Z	М	Alcohol/drug use and alcohol/drug induced organic mental disorders with complex intensive care treatment/complex treatment in intermediate care unit > 196/184 points Dependency, intoxication, multiple behavioural disorders with	2.485	11	2	0.789	24	0.229		х	
V02A	М	dementia or delirium and mental disorder due to functional brain disorders or extremely severe CC or withdrawal syndrome with delirium or complex intensive care treatment/complex treatment in intermediate care unit > 561/19 points, more than one inpatient day	1.138	7.4	1	0.53	16	0.154		x	
V02B	М	Dependency, intoxication, multiple behavioural disorders associated with multiple dependency or complicating diagnosis or severe CC, more than one inpatient day	0.653	5.2	1	0.291	12	0.119		х	
V02C	М	Dependency, intoxication, multiple behavioural disorders, more than one inpatient day  Dependency, intoxication, multiple behavioural disorders, one	0.543	4.9	1	0.245	10	0.104	0.153		
V02D	М	Dependency, intoxication, multiple behavioural disorders, one inpatient day	0.251	1						x	
W01A	olytrau O	ma Polytrauma with complex intensive care treatment > 980/1104 points or complex intensive care treatment > 392/552 points with craniotomy or intervention on the spine or complex OR procedure, and intervention at more than one site	11.343	24.4	7	0.791	42	0.259		x	
W01B	0	Polytrauma with complex intensive care treatment > 980/1104 points or complex intensive care treatment > 392/552 points with craniotomy or intervention on the spine or complex OR procedure over more than one session or over four sessions or microvascular	8.161	17.7	4	1.262	34	0.307		x	
W01C	0	Intervention Polytrauma with complex intensive care treatment > 588/828 points or craniotomy or intervention on the spine or vacuum treatment or intervention at more than one site	5.531	15.1	4	0.683	27	0.274		х	
W01D	0	Polytrauma with complex intensive care treatment > 130/184 points or OR procedure or early rehabilitation from 14 treatment days or specific vacuum treatment or complicating procedure or paraplegia/tertaplegia or complex treatment in intermediate care unit > 392/152/points	5.024	14.3	3	0.956	27	0.235		х	
W01E W60A	O A	Polytrauma with OR procedure or halo traction  Polytrauma, dead or transferred < 5 days after admission and complex intensive care treatment/complex treatment in intermediate	2.743 3.255	9.9	2	0.537	19	0.225		x x	
W60B	A	care unit > 130/119 points with complex OR procedure  Polytrauma, dead or transferred < 5 days after admission and complex intensive care treatment/complex treatment in intermediate	1.644	1.8						x	
W60C	Α	care unit > 130/119 points or surgical procedure Polytrauma, dead or transferred < 5 days after admission	0.587	1.3						x	
W61A	М	Polytrauma with complex intensive care treatment > 196/184 points or complex treatment in intermediate care unit > 392/552 points	3.305	13.8	3	0.791	26	0.23		х	
W61B	М	Polytrauma with complicating diagnosis	1.283	7.6	1	0.581	17	0.173	0.183	-	-
W61C	M	Polytrauma	1.054	6.6	1	0.476	14	0.155	0.179		

					Minimum le	ength of stay	Maximum	length of stay			
DRG <sup>9)</sup>	Partiti on	Designation <sup>e) 7) e)</sup>	Cost weight with costs of system use (CSU)	Mean length of stay 1)	First day with reduction <sup>2) 5)</sup>	Cost weight/day	First day with additional fee 3)	Cost weight/day	External transfer reduction/day (cost weight)	Transfer flat rate per case	Not counted as readmission 4)
1	2	3	4	5	6	7	8	9	10	11	12
MDC 21B: In	juries,	poisoning and toxic effect of drugs and medicinal products  Reconstructive surgery for injuries with complicating procedure,		1		1	1		ı		
X01A	0	reconstructive surgery for injuries with complicating procedure, intervention at more than one site, tissue graft with microvascular anastomosis or complex diagnosis or complex procedure, with extremely severe CC	3.548	11.6	2	0.616	22	0.159	0.18		
X01B	0	Reconstructive surgery for injuries	0.909	4.4	1	0.246	11	0.121	0.154		
X04Z	0	Other interventions for injuries of the lower extremity	0.959	4.6	1	0.293	11	0.133	0.183		
X05Z X06A	0	Other interventions for injuries of the hand Other interventions for other injuries with extremely severe CC	0.695 2.905	3.2 13.5	3	0.238 0.554	7 29	0.147 0.179	0.238	x	
X06B	0	Other interventions for other injuries with severe CC or with complex	1.153	4.7	1	0.533	12	0.145		x	
X06C	0	Intervention Other interventions for other injuries	0.788	3.8	1	0.351	9	0.133		×	
X07A	0	Replantation for traumatic amputation, with replantation of more than one toe or more than one finger or complex OR procedures over more than one session or complex vacuum treatment or vacuum	5.035	21.8	6	0.408	39	0.134	0.142		
		treatment with specific intervention Replantation for traumatic amputation, with replantation of one finger									
X07B	0	or one toe	2.18	6.9	1	0.468	13	0.096	0.176		
X37A	0	Injuries, poisonings and toxic effects of drugs and medicinal products with complex intensive care treatment/complex treatment in intermediate care unit > 130/184 points, more than 1 inpatient day	2.24	6.3	1	0.991	15	0.339		x	x
Х37В	0	Injuries, poisonings and toxic effects of drugs and medicinal products with complex intensive care treatment/complex treatment in intermediate care unit adults > 119 points, more than 1 inpatient day	1.293	4	1	0.543	9	0.215		х	х
X60A	М	Injuries and allergic reactions with severe CC	0.927	6.8	1	0.417	15	0.131	0.156		
X60B	М	Injuries and allergic reactions, age < 16 years	0.446	2.4	1	0.182	4	0.179	0.182		
X60C	М	Injuries and allergic reactions, age > 15 years	0.497	3.6	1	0.204	8	0.106	0.204		
X62A	М	Poisonings/toxic effects of drugs, medicinal products and other substances or consequences of a medical treatment with extremely severe CC or specific procedure/diagnosis or complex intensive care treatment/complex treatment in intermediate care unit > 65/59 points	0.818	3.2	1	0.366	7	0.265	0.366		
X62B	М	Poisonings/toxic effects of drugs, medicinal products and other substances or consequences of a medical treatment	0.543	3.5	1	0.217	8	0.135	0.217		
X64Z	М	Other disease caused by injury, poisoning or toxic effect	0.573	3.6	1	0.239	8	0.151	0.239		
X86A	М	Injuries, poisonings and toxic effects of drugs and medicinal products with complex intensive care treatment/complex treatment in intermediate care unit > 130/119 points, one inpatient day	0.971	1						х	
X86B	М	Injuries, poisonings and toxic effects of drugs and medicinal products with complex intensive care treatment/complex treatment in intermediate care unit > 65/59 points, one inpatient day	0.524	1						x	
X86C	М	Injuries, poisonings and toxic effects of drugs and medicinal products, one inpatient day	0.255	1						x	
MDC 22: Bu	rns								1		
Y02A	0	Other burns with skin graft and complicating procedure or very severe burns, with extremely severe CC or dialysis or complex intensive care treatment > 130/119 points or intervention over more than one session or dead < 5 days after admission or contact isolation from 7 treatment days or complex treatment for multidrug- resistant pathogen from 7 treatment days	4.099	16.1	4	0.599	31	0.193		х	
Y02B	0	Other burns with skin graft or very severe burns, with challenging	1.386	7.2	1	0.434	16	0.192		x	
Y02C	0	procedure or diagnoses Other burns with skin graft with specific intervention or very severe burns	0.789	4.1	1	0.24	11	0.14	0.15		
Y62A	М	Other burns with extensive debridement or severe burn, age < 6 years	0.704	3.3	1	0.259	7	0.174	0.259		
Y62B	М	Other burns, age > 5 years	0.502	3.7	1	0.213	8	0.129	0.213		
Y63Z	M toro ir	Burns, one inpatient day  fluencing health status and other contacts with health services	0.294	1						х	
Z01Z	0	OR procedures for other situations leading to contact with health	0.906	3.5	1	0.416	9	0.159	0.416		
Z02Z	0	services Liver or kidney donation (living donation) or complex intensive care treatment/complex treatment in intermediate care unit > 196/119	1.803	5	1	0.385	10	0.164	0.179		
Z43Z	Α	points  Bone marrow or stem cell collection, allogenic	0.857	2.1	1	0.339	4	0.12	0.339		
Z64A	м	Other factors that influence state of health and follow-up treatment once treatment has been completed, for specific situation or preparation for living donation or following organ transplantation, age < 18 wars	1.027	2.3	1	0.351	4	0.246	0.351		
Z64B	М	Other factors that influence state of health and follow-up treatment once treatment has been completed or following organ transplantation, age > 17 years	0.677	2.9	1	0.327	7	0.173	0.327		
Z64C	М	Other factors that influence state of health and follow-up treatment once treatment has been completed or following organ transplantation	0.518	3.7	1	0.231	10	0.1	0.231		
Z65A	М	Complaints, symptoms, other anomalies and follow-up treatment with specific diagnosis and procedure or dialysis	0.706	6.1	1	0.322	14	0.116	0.121		
Z65B	М	Complaints, symptoms, other anomalies and follow-up treatment	0.657	5	1	0.28	11	0.106	0.131		
Z86A	М	Factors influencing health status and other contacts with health services and status post organ transplantation or paraplegial/traplegia or complex intensive care treatment/complex treatment in intermediate care unit > 65/59 points, one inpatient day	0.47	1						x	
Z86B	М	Factors influencing health status and other contacts with health services, one inpatient day	0.232	1						х	
Error DRGs	and ot	ther DRGs							·		
901A	0	Extensive OR procedure not related to the main diagnosis with complicating procedures or radiotherapy	4.515	22.8	6	0.516	39	0.122	0.171		
901B	0	Extensive OR procedure not related to the main diagnosis with	2.772	11.3	2	0.608	26	0.117	0.178		
901C	0	complex OR procedure  Extensive OR procedure not related to the main diagnosis with other	2.549	13.6	3	0.49	25	0.101	0.161		
901C 901D	0	intervention on the head and spinal column or age < 1 year  Extensive OR procedure not related to the main diagnosis	1.855	9.3	2	0.449	25	0.101	0.161		
901D 902Z	0	Non-extensive OR procedure not related to the main diagnosis	1.855	9.3 8.1	1	0.449	21	0.112	0.163		
960Z	М	Not amenable to grouping	00					2.300	5.10		
961Z	М	Impermissible main diagnosis									
962Z	М	Impermissible coding of a caesarean section				0.515	4.	0.4.0	0.5==		
963Z	М	Neonatal diagnosis not compatible with age or weight	1.276	5.2	1	0.542	11	0.146	0.253		